



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:06 AM GMT

PDB ID : 1ZQS  
Title : DNA POLYMERASE BETA (POL B) (E.C.2.7.7.7) COMPLEXED WITH SEVEN BASE PAIRS OF DNA; SOAKED IN THE PRESENCE OF TLCL (0.5 MILLIMOLAR)  
Authors : Pelletier, H.; Sawaya, M.R.  
Deposited on : 1996-04-12  
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*




The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1058 (3.38-3.22)
Ramachandran outliers	100387	1038 (3.38-3.22)
Sidechain outliers	100360	1037 (3.38-3.22)
RSRZ outliers	91569	2070 (3.40-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	T	8	
2	P	7	
3	A	335	

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3059 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(\*CP\*AP\*TP\*TP\*AP\*GP\*AP\*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	T	8	Total	C	N	O	P	0	0	0
			145	69	27	42	7			

- Molecule 2 is a DNA chain called DNA (5'-D(\*TP\*CP\*TP\*AP\*AP\*TP\*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	7	Total	C	N	O	P	0	0	0
			144	69	24	44	7			

- Molecule 3 is a protein called PROTEIN (DNA POLYMERASE BETA (E.C.2.7.7.7)).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	327	Total	C	N	O	S	18	0	0
			2623	1657	458	499	9			

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Na	0	0
			2	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	107	Total	O	0	0
			107	107		
5	P	21	Total	O	0	0
			21	21		
5	T	17	Total	O	0	0
			17	17		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA (5'-D(\*CP\*AP\*TP\*TP\*AP\*GP\*AP\*A)-3')



- Molecule 2: DNA (5'-D(\*TP\*CP\*TP\*AP\*AP\*TP\*G)-3')



- Molecule 3: PROTEIN (DNA POLYMERASE BETA (E.C.2.7.7.7))



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	178.43 Å 57.72 Å 48.31 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 3.30 9.77 – 2.64	Depositor EDS
% Data completeness (in resolution range)	73.0 (20.00-3.30) 67.5 (9.77-2.64)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.02 (at 2.63 Å)	Xtriage
Refinement program	TNT V. 5-D	Depositor
R, $R_{free}$	0.165 , (Not available) 0.156 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	12.8	Xtriage
Anisotropy	0.699	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.47 , 376.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.38$ , $\langle L^2 \rangle = 0.21$	Xtriage
Outliers	2 of 10252 reflections (0.020%)	Xtriage
$F_o, F_c$ correlation	0.69	EDS
Total number of atoms	3059	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.08% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	T	2.06	4/162 (2.5%)	4.02	30/249 (12.0%)
2	P	2.51	11/160 (6.9%)	4.70	26/243 (10.7%)
3	A	1.30	25/2672 (0.9%)	1.85	61/3590 (1.7%)
All	All	1.44	40/2994 (1.3%)	2.31	117/4082 (2.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	A	1	0

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	147	GLU	CD-OE2	9.94	1.36	1.25
1	T	6	DG	C3'-O3'	-9.35	1.31	1.44
2	P	5	DA	C6-N1	8.60	1.41	1.35
2	P	5	DA	N7-C5	8.42	1.44	1.39
3	A	117	GLU	CD-OE2	8.27	1.34	1.25
3	A	216	GLU	CD-OE2	8.23	1.34	1.25
3	A	288	GLU	CD-OE2	8.21	1.34	1.25
3	A	86	GLU	CD-OE1	8.15	1.34	1.25
3	A	295	GLU	CD-OE2	8.14	1.34	1.25
2	P	5	DA	C3'-O3'	-8.05	1.33	1.44
2	P	5	DA	N9-C4	7.90	1.42	1.37
3	A	71	GLU	CD-OE1	7.39	1.33	1.25
3	A	249	GLU	CD-OE2	7.36	1.33	1.25
2	P	5	DA	C5-C6	7.36	1.47	1.41
3	A	154	GLU	CD-OE2	7.33	1.33	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	329	GLU	CD-OE2	7.02	1.33	1.25
2	P	5	DA	N3-C4	6.93	1.39	1.34
3	A	335	GLU	CD-OE2	6.90	1.33	1.25
3	A	172	GLU	CD-OE2	6.81	1.33	1.25
3	A	75	GLU	CD-OE1	6.68	1.32	1.25
3	A	309	GLU	CD-OE2	6.68	1.32	1.25
3	A	129	GLU	CD-OE1	6.59	1.32	1.25
1	T	5	DA	C5-C6	-6.57	1.35	1.41
1	T	3	DT	C4-C5	6.56	1.50	1.45
3	A	26	GLU	CD-OE1	6.25	1.32	1.25
2	P	2	DC	C1'-N1	6.24	1.57	1.49
3	A	203	GLU	CD-OE1	6.23	1.32	1.25
2	P	4	DA	C3'-O3'	-6.18	1.35	1.44
3	A	165	GLU	CD-OE2	6.13	1.32	1.25
2	P	6	DT	C5'-C4'	-6.07	1.44	1.51
3	A	153	GLU	CD-OE2	6.03	1.32	1.25
2	P	1	DT	O3'-P	-6.01	1.53	1.61
3	A	232	GLU	CD-OE2	5.85	1.32	1.25
3	A	123	GLU	CD-OE1	5.83	1.32	1.25
3	A	21	GLU	CD-OE1	5.62	1.31	1.25
3	A	39	TYR	CB-CG	-5.49	1.43	1.51
1	T	2	DA	C3'-O3'	5.47	1.51	1.44
3	A	9	GLU	CD-OE2	5.21	1.31	1.25
2	P	3	DT	C5-C6	5.15	1.38	1.34
3	A	247	GLU	CD-OE1	5.13	1.31	1.25

All (117) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	1	DT	C6-N1-C1'	-24.95	82.97	120.40
1	T	4	DT	C6-N1-C1'	-24.81	83.18	120.40
1	T	4	DT	C2-N1-C1'	22.63	154.41	118.20
2	P	7	DG	C4-N9-C1'	-22.28	97.53	126.50
2	P	7	DG	C8-N9-C1'	22.14	155.78	127.00
2	P	1	DT	C2-N1-C1'	21.84	153.15	118.20
2	P	2	DC	C2-N1-C1'	20.93	141.83	118.80
2	P	2	DC	C6-N1-C1'	-18.27	98.88	120.80
1	T	6	DG	C8-N9-C1'	16.36	148.26	127.00
2	P	5	DA	C8-N9-C1'	-15.38	100.01	127.70
1	T	6	DG	C4-N9-C1'	-14.73	107.35	126.50
2	P	5	DA	C4-N9-C1'	14.49	152.38	126.30
2	P	3	DT	C6-N1-C1'	-13.34	100.39	120.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	182	ARG	NE-CZ-NH1	13.23	126.92	120.30
1	T	7	DA	C4-N9-C1'	-12.53	103.75	126.30
2	P	5	DA	C2-N3-C4	12.48	116.84	110.60
2	P	3	DT	C2-N1-C1'	12.34	137.94	118.20
1	T	5	DA	O4'-C1'-N9	-12.27	99.41	108.00
1	T	7	DA	C8-N9-C1'	11.83	149.00	127.70
3	A	256	ASP	CB-CG-OD2	-10.90	108.49	118.30
3	A	253	ARG	NE-CZ-NH1	9.82	125.21	120.30
1	T	5	DA	N1-C6-N6	9.62	124.37	118.60
1	T	4	DT	C1'-O4'-C4'	-9.48	100.62	110.10
2	P	6	DT	C6-N1-C1'	-9.33	106.41	120.40
3	A	258	ARG	NE-CZ-NH1	9.11	124.85	120.30
1	T	5	DA	C4-N9-C1'	-8.81	110.44	126.30
3	A	130	ASP	CB-CG-OD2	-8.65	110.52	118.30
3	A	256	ASP	CB-CG-OD1	8.44	125.90	118.30
3	A	116	ASP	CB-CG-OD2	-8.38	110.76	118.30
3	A	333	ARG	NE-CZ-NH1	8.31	124.45	120.30
3	A	192	ASP	CB-CG-OD2	-8.20	110.92	118.30
3	A	112	ARG	NE-CZ-NH1	8.07	124.34	120.30
1	T	5	DA	N9-C4-C5	-8.05	102.58	105.80
3	A	17	ASP	CB-CG-OD1	-7.87	111.22	118.30
3	A	332	ASP	CB-CG-OD1	-7.80	111.28	118.30
2	P	6	DT	C2-N1-C1'	7.80	130.68	118.20
1	T	3	DT	C6-C5-C7	-7.58	118.35	122.90
3	A	74	ASP	CB-CG-OD2	-7.56	111.49	118.30
1	T	4	DT	O4'-C1'-C2'	-7.53	99.87	105.90
3	A	264	GLN	N-CA-CB	7.52	124.13	110.60
1	T	5	DA	C8-N9-C1'	7.51	141.22	127.70
3	A	314	ASP	CB-CG-OD1	-7.47	111.58	118.30
3	A	263	ASP	CB-CG-OD2	-7.41	111.63	118.30
2	P	3	DT	P-O5'-C5'	7.39	132.73	120.90
2	P	1	DT	C1'-O4'-C4'	-7.33	102.77	110.10
3	A	318	ASP	CB-CG-OD2	-7.29	111.74	118.30
1	T	5	DA	O4'-C1'-C2'	7.16	111.63	105.90
3	A	253	ARG	NE-CZ-NH2	-7.03	116.78	120.30
3	A	246	ASP	CB-CG-OD1	-7.02	111.99	118.30
1	T	1	DC	P-O3'-C3'	6.99	128.09	119.70
3	A	222	HIS	CA-CB-CG	-6.93	101.81	113.60
2	P	3	DT	O4'-C1'-C2'	-6.91	100.37	105.90
2	P	3	DT	N3-C2-O2	-6.87	118.18	122.30
3	A	91	ASP	CB-CG-OD1	-6.84	112.15	118.30
3	A	124	ASP	CB-CG-OD2	-6.77	112.21	118.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	89	ARG	NE-CZ-NH1	6.65	123.63	120.30
3	A	271	TYR	CB-CG-CD1	-6.65	117.01	121.00
3	A	116	ASP	CB-CG-OD1	6.63	124.27	118.30
2	P	5	DA	O4'-C1'-C2'	-6.62	100.60	105.90
3	A	258	ARG	NE-CZ-NH2	-6.61	117.00	120.30
3	A	57	ALA	N-CA-CB	-6.60	100.86	110.10
2	P	5	DA	C5-C6-N1	6.43	120.92	117.70
2	P	4	DA	O4'-C1'-N9	-6.40	103.52	108.00
3	A	74	ASP	CB-CG-OD1	6.29	123.96	118.30
3	A	99	PHE	CB-CG-CD1	-6.27	116.41	120.80
1	T	1	DC	C6-N1-C1'	-6.18	113.39	120.80
3	A	299	ARG	NE-CZ-NH1	6.14	123.37	120.30
2	P	3	DT	C5-C6-N1	-6.12	120.03	123.70
3	A	183	ARG	NE-CZ-NH2	-6.11	117.25	120.30
2	P	2	DC	O4'-C1'-C2'	-6.09	101.02	105.90
3	A	224	ILE	CA-CB-CG1	-6.09	99.44	111.00
1	T	3	DT	C2-N3-C4	-6.03	123.58	127.20
3	A	168	LYS	N-CA-CB	6.00	121.40	110.60
3	A	143	PHE	CB-CA-C	5.99	122.38	110.40
3	A	112	ARG	NE-CZ-NH2	-5.98	117.31	120.30
3	A	126	ARG	NE-CZ-NH1	-5.93	117.33	120.30
1	T	5	DA	C8-N9-C4	5.91	108.17	105.80
3	A	39	TYR	CB-CG-CD1	-5.85	117.49	121.00
3	A	266	TYR	CA-CB-CG	-5.83	102.32	113.40
1	T	5	DA	C2-N3-C4	-5.83	107.69	110.60
3	A	227	THR	N-CA-CB	5.83	121.37	110.30
1	T	3	DT	C5-C6-N1	-5.80	120.22	123.70
3	A	314	ASP	CB-CG-OD2	5.74	123.46	118.30
3	A	91	ASP	CB-CG-OD2	5.72	123.45	118.30
1	T	5	DA	C4-C5-N7	5.70	113.55	110.70
3	A	283	ARG	NE-CZ-NH1	5.66	123.13	120.30
3	A	116	ASP	CB-CA-C	5.65	121.70	110.40
3	A	182	ARG	NE-CZ-NH2	-5.65	117.48	120.30
2	P	5	DA	O4'-C4'-C3'	-5.59	102.26	104.50
2	P	5	DA	N1-C2-N3	-5.59	126.51	129.30
3	A	318	ASP	CB-CG-OD1	5.57	123.32	118.30
3	A	130	ASP	CB-CG-OD1	5.49	123.24	118.30
3	A	265	TYR	CB-CG-CD1	-5.48	117.71	121.00
1	T	6	DG	O4'-C1'-N9	5.48	111.83	108.00
1	T	1	DC	C2-N1-C1'	5.42	124.76	118.80
1	T	3	DT	O4'-C1'-N1	5.41	111.79	108.00
1	T	2	DA	C4-N9-C1'	-5.41	116.57	126.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	332	ASP	CB-CG-OD2	5.40	123.16	118.30
3	A	62	LEU	C-N-CD	-5.40	108.72	120.60
3	A	17	ASP	CB-CG-OD2	5.28	123.05	118.30
1	T	2	DA	C8-N9-C1'	5.27	137.19	127.70
3	A	221	VAL	CA-CB-CG1	-5.27	103.00	110.90
3	A	192	ASP	CB-CG-OD1	5.24	123.02	118.30
1	T	6	DG	C8-N9-C4	-5.19	104.32	106.40
2	P	4	DA	P-O5'-C5'	5.18	129.19	120.90
3	A	11	LEU	O-C-N	5.16	130.96	122.70
1	T	5	DA	C5-C6-N6	-5.16	119.57	123.70
3	A	160	ASP	CB-CG-OD1	5.15	122.93	118.30
2	P	1	DT	C6-N1-C2	5.14	123.87	121.30
3	A	102	ARG	CD-NE-CZ	-5.12	116.44	123.60
3	A	241	LEU	CB-CA-C	-5.11	100.50	110.20
3	A	226	ASP	CB-CG-OD2	-5.08	113.72	118.30
3	A	254	ARG	NE-CZ-NH1	5.07	122.84	120.30
1	T	7	DA	P-O5'-C5'	-5.04	112.83	120.90
3	A	160	ASP	CB-CG-OD2	-5.04	113.76	118.30
3	A	205	THR	N-CA-CB	5.02	119.84	110.30
3	A	83	ARG	N-CA-CB	5.01	119.62	110.60

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	205	THR	CA

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	T	145	0	80	7	0
2	P	144	0	81	18	0
3	A	2623	0	2641	367	0
4	A	2	0	0	0	0
5	A	107	0	0	14	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	P	21	0	0	2	0
5	T	17	0	0	2	0
All	All	3059	0	2802	387	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 68.

All (387) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:5:DA:H2''	2:P:6:DT:H5''	1.28	1.16
3:A:31:GLN:NE2	3:A:112:ARG:HH12	1.45	1.13
3:A:82:LEU:HD23	3:A:85:LEU:HB2	1.25	1.11
2:P:6:DT:H2''	2:P:7:DG:H5''	1.39	1.04
3:A:165:GLU:HB3	3:A:217:GLN:HG3	1.40	1.03
3:A:330:PRO:HA	3:A:333:ARG:HG2	1.41	1.02
3:A:245:ASN:H	3:A:245:ASN:ND2	1.58	1.02
3:A:293:ILE:HD13	3:A:298:ILE:HG13	1.42	0.96
2:P:5:DA:H2''	2:P:6:DT:C5'	1.94	0.95
3:A:201:THR:HA	3:A:261:PRO:HB3	1.48	0.95
3:A:103:VAL:HB	3:A:106:ILE:HD12	1.49	0.95
3:A:41:LYS:HE2	3:A:64:GLY:HA3	1.49	0.94
3:A:245:ASN:N	3:A:245:ASN:HD22	1.53	0.94
1:T:6:DG:H2''	1:T:7:DA:C8	2.05	0.91
3:A:138:ILE:HD12	3:A:228:LEU:HD12	1.55	0.89
3:A:197:HIS:CD2	3:A:198:PRO:HD2	2.08	0.88
3:A:330:PRO:HA	3:A:333:ARG:CG	2.04	0.88
3:A:31:GLN:HE21	3:A:112:ARG:HH12	0.90	0.87
3:A:31:GLN:HE21	3:A:112:ARG:NH1	1.72	0.86
3:A:201:THR:HA	3:A:261:PRO:CB	2.07	0.84
3:A:97:ILE:HG23	3:A:111:ALA:HB1	1.61	0.82
3:A:128:ASN:N	3:A:128:ASN:HD22	1.77	0.82
3:A:138:ILE:HD12	3:A:228:LEU:CD1	2.10	0.81
3:A:29:VAL:HA	3:A:97:ILE:HD12	1.63	0.80
3:A:23:ALA:HB2	3:A:39:TYR:CB	2.11	0.80
3:A:182:ARG:HG2	3:A:182:ARG:HH11	1.44	0.80
3:A:197:HIS:CE1	3:A:199:SER:HB3	2.15	0.80
3:A:277:ILE:HD11	3:A:335:GLU:HB3	1.62	0.80
3:A:73:ILE:HG22	3:A:77:LEU:HD22	1.64	0.80
3:A:293:ILE:CD1	3:A:298:ILE:HG13	2.12	0.80
3:A:23:ALA:HB2	3:A:39:TYR:HB3	1.62	0.80

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:243:SER:HB3	3:A:249:GLU:HA	1.64	0.79
3:A:178:CYS:SG	3:A:194:LEU:HD22	2.22	0.79
3:A:11:LEU:HD23	3:A:11:LEU:H	1.46	0.78
3:A:191:MET:HG2	3:A:255:ILE:HG13	1.66	0.77
3:A:254:ARG:NH1	3:A:255:ILE:N	2.33	0.77
3:A:165:GLU:HB3	3:A:217:GLN:CG	2.14	0.77
3:A:41:LYS:HE2	3:A:64:GLY:CA	2.15	0.77
3:A:331:LYS:HG2	3:A:332:ASP:N	2.00	0.75
3:A:165:GLU:HA	3:A:168:LYS:HG2	1.67	0.75
2:P:4:DA:H5'	5:P:569:HOH:O	1.86	0.75
3:A:260:ILE:HG23	3:A:261:PRO:HD2	1.69	0.74
3:A:286:ALA:CB	3:A:323:ILE:HG21	2.16	0.74
3:A:289:LYS:N	3:A:289:LYS:HD3	2.01	0.74
3:A:103:VAL:CB	3:A:106:ILE:HD12	2.19	0.72
3:A:159:GLN:O	3:A:163:LEU:HG	1.89	0.72
3:A:217:GLN:HA	3:A:217:GLN:HE21	1.54	0.72
3:A:197:HIS:ND1	3:A:199:SER:HB3	2.03	0.72
3:A:152:ARG:HA	3:A:155:MET:HB2	1.72	0.72
3:A:82:LEU:CD2	3:A:85:LEU:HB2	2.13	0.71
3:A:31:GLN:NE2	3:A:112:ARG:NH1	2.31	0.71
3:A:133:ASN:ND2	3:A:135:HIS:H	1.89	0.71
3:A:195:LEU:O	3:A:259:LEU:HD12	1.90	0.71
3:A:27:LYS:HG3	3:A:28:ASN:ND2	2.06	0.71
3:A:211:LEU:O	3:A:211:LEU:HD12	1.91	0.71
2:P:5:DA:C2'	2:P:6:DT:H5''	2.15	0.70
3:A:92:ASP:HB3	5:A:647:HOH:O	1.91	0.70
3:A:82:LEU:HD23	3:A:85:LEU:CB	2.14	0.70
3:A:162:VAL:O	3:A:166:VAL:HG23	1.91	0.70
3:A:127:LYS:HB2	3:A:128:ASN:ND2	2.07	0.70
3:A:323:ILE:O	3:A:324:GLN:HG2	1.92	0.70
3:A:128:ASN:N	3:A:128:ASN:ND2	2.40	0.70
1:T:3:DT:H1'	5:T:617:HOH:O	1.92	0.69
3:A:295:GLU:OE1	3:A:295:GLU:N	2.25	0.69
3:A:59:ALA:O	3:A:62:LEU:HB2	1.92	0.68
3:A:330:PRO:CA	3:A:333:ARG:HG2	2.18	0.68
3:A:294:ASN:O	3:A:296:TYR:N	2.26	0.68
3:A:180:SER:CA	3:A:183:ARG:HH21	2.06	0.68
3:A:292:THR:O	3:A:298:ILE:HA	1.93	0.68
3:A:270:LEU:HD22	3:A:319:ILE:HD13	1.76	0.67
3:A:217:GLN:HA	3:A:217:GLN:NE2	2.09	0.67
3:A:286:ALA:HB2	3:A:323:ILE:HG21	1.74	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:121:THR:HG23	3:A:124:ASP:OD1	1.95	0.67
3:A:26:GLU:HA	3:A:30:SER:OG	1.96	0.66
3:A:79:THR:O	3:A:81:LYS:N	2.27	0.66
3:A:236:MET:HG3	3:A:256:ASP:OD1	1.95	0.66
3:A:73:ILE:O	3:A:77:LEU:HD13	1.96	0.66
3:A:15:ILE:HB	3:A:46:ILE:HD11	1.76	0.65
3:A:41:LYS:HD3	3:A:42:ALA:H	1.61	0.65
3:A:197:HIS:CG	3:A:198:PRO:HD2	2.31	0.65
3:A:201:THR:CA	3:A:261:PRO:HB3	2.22	0.65
3:A:180:SER:HA	3:A:183:ARG:HH21	1.61	0.65
3:A:40:ARG:O	3:A:44:SER:HB3	1.97	0.65
3:A:76:PHE:HD2	3:A:77:LEU:HD12	1.62	0.65
3:A:291:PHE:HD2	3:A:323:ILE:HG22	1.61	0.65
3:A:129:GLU:HG2	3:A:137:ARG:HD3	1.79	0.65
3:A:150:ILE:HG21	3:A:158:MET:HE1	1.78	0.64
3:A:311:LEU:HB3	3:A:322:TYR:CE2	2.32	0.64
3:A:25:PHE:CD1	3:A:88:ILE:HD13	2.31	0.64
3:A:125:LEU:HD22	3:A:132:LEU:HD21	1.80	0.64
3:A:204:SER:O	3:A:206:LYS:N	2.31	0.63
3:A:285:HIS:NE2	3:A:289:LYS:HG2	2.13	0.63
3:A:254:ARG:NH1	3:A:255:ILE:H	1.94	0.63
3:A:169:VAL:HG13	3:A:170:ASP:H	1.63	0.63
1:T:1:DC:H2"	1:T:2:DA:OP2	1.98	0.63
3:A:286:ALA:O	3:A:291:PHE:N	2.31	0.63
3:A:255:ILE:HG12	3:A:256:ASP:N	2.11	0.63
3:A:254:ARG:HH11	3:A:255:ILE:N	1.95	0.63
3:A:155:MET:CE	3:A:188:SER:HB2	2.29	0.63
3:A:155:MET:HE2	3:A:188:SER:HB2	1.81	0.62
3:A:163:LEU:N	3:A:163:LEU:HD23	2.15	0.62
3:A:180:SER:HB2	3:A:185:ALA:HB2	1.82	0.62
3:A:320:PHE:CE2	3:A:328:ARG:HG3	2.34	0.62
3:A:140:LEU:O	3:A:140:LEU:HD12	1.99	0.62
3:A:311:LEU:HB3	3:A:322:TYR:HE2	1.65	0.61
3:A:202:SER:N	3:A:261:PRO:HB3	2.15	0.61
3:A:23:ALA:HB2	3:A:39:TYR:HB2	1.82	0.61
3:A:41:LYS:NZ	3:A:64:GLY:O	2.28	0.61
3:A:253:ARG:NH1	5:A:503:HOH:O	2.34	0.61
3:A:145:ASP:OD1	3:A:145:ASP:N	2.33	0.61
3:A:243:SER:CB	3:A:249:GLU:HA	2.28	0.61
3:A:165:GLU:CB	3:A:217:GLN:HG3	2.24	0.61
3:A:277:ILE:CG1	3:A:335:GLU:HB2	2.32	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:254:ARG:HH11	3:A:254:ARG:CA	2.15	0.60
3:A:182:ARG:NH1	3:A:273:THR:OG1	2.35	0.60
3:A:201:THR:HA	3:A:261:PRO:CA	2.31	0.60
3:A:138:ILE:HG21	3:A:228:LEU:HD11	1.83	0.60
3:A:97:ILE:HG23	3:A:111:ALA:CB	2.32	0.60
3:A:111:ALA:O	3:A:115:VAL:HG23	2.02	0.60
3:A:12:ASN:HD21	3:A:53:ILE:H	1.50	0.59
3:A:245:ASN:H	3:A:245:ASN:HD22	0.74	0.59
3:A:28:ASN:ND2	3:A:28:ASN:N	2.49	0.59
3:A:327:TYR:HD1	3:A:328:ARG:N	2.00	0.59
3:A:180:SER:HB2	3:A:185:ALA:CB	2.33	0.59
3:A:248:LYS:HG2	3:A:248:LYS:O	2.01	0.59
3:A:259:LEU:C	3:A:260:ILE:HG12	2.22	0.59
3:A:323:ILE:C	3:A:324:GLN:HG2	2.23	0.58
3:A:306:VAL:HG22	5:A:650:HOH:O	2.02	0.58
3:A:31:GLN:N	5:A:641:HOH:O	2.29	0.58
3:A:270:LEU:HD22	3:A:319:ILE:CD1	2.34	0.58
3:A:174:ILE:O	3:A:195:LEU:HD12	2.02	0.58
3:A:29:VAL:HG22	3:A:97:ILE:HD12	1.86	0.58
3:A:182:ARG:NH1	3:A:182:ARG:HG2	2.15	0.58
3:A:19:LEU:HD23	3:A:43:ALA:HA	1.85	0.58
3:A:182:ARG:HH11	3:A:182:ARG:CG	2.14	0.58
3:A:138:ILE:O	3:A:141:LYS:HB3	2.04	0.57
2:P:1:DT:H2''	2:P:2:DC:O4'	2.04	0.57
3:A:282:MET:HB2	3:A:325:TRP:CZ3	2.39	0.57
3:A:260:ILE:CG2	3:A:261:PRO:HD2	2.33	0.57
3:A:99:PHE:HD2	3:A:100:LEU:HD13	1.70	0.57
3:A:254:ARG:NH2	5:A:657:HOH:O	2.38	0.57
3:A:129:GLU:O	3:A:137:ARG:NE	2.37	0.57
3:A:316:GLU:O	3:A:320:PHE:HD1	1.88	0.57
3:A:56:GLY:O	3:A:59:ALA:HB3	2.05	0.57
3:A:209:LYS:HA	3:A:212:HIS:HB2	1.86	0.57
3:A:76:PHE:CD2	3:A:77:LEU:HD12	2.40	0.57
3:A:179:GLY:O	3:A:182:ARG:HB3	2.04	0.57
3:A:278:PHE:CE1	3:A:328:ARG:HD3	2.40	0.56
3:A:266:TYR:HB2	3:A:313:VAL:HG11	1.87	0.56
3:A:326:LYS:O	3:A:326:LYS:HG3	2.04	0.56
3:A:41:LYS:HD3	3:A:42:ALA:N	2.20	0.56
3:A:114:PHE:CZ	3:A:132:LEU:HD23	2.40	0.56
3:A:328:ARG:O	3:A:333:ARG:NE	2.27	0.56
3:A:295:GLU:HA	5:A:592:HOH:O	2.04	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:59:ALA:O	3:A:62:LEU:N	2.32	0.56
3:A:169:VAL:HG13	3:A:170:ASP:N	2.20	0.56
3:A:33:ILE:O	3:A:36:TYR:HD2	1.89	0.56
3:A:76:PHE:HD2	3:A:77:LEU:CD1	2.18	0.56
3:A:151:PRO:HB2	3:A:153:GLU:HG2	1.88	0.56
3:A:26:GLU:HB3	3:A:32:ALA:HB3	1.87	0.55
3:A:53:ILE:O	3:A:54:LYS:HD2	2.05	0.55
3:A:200:PHE:O	3:A:262:LYS:N	2.37	0.55
3:A:288:GLU:C	3:A:290:GLY:H	2.10	0.55
3:A:55:SER:O	3:A:58:GLU:HB3	2.07	0.55
3:A:265:TYR:CE2	3:A:269:VAL:HG21	2.42	0.55
3:A:183:ARG:HD3	3:A:273:THR:O	2.07	0.55
3:A:243:SER:OG	3:A:249:GLU:HG3	2.08	0.54
3:A:309:GLU:N	3:A:309:GLU:OE1	2.40	0.54
3:A:220:LYS:HG2	3:A:220:LYS:O	2.06	0.54
3:A:34:HIS:O	3:A:38:ALA:N	2.31	0.54
3:A:226:ASP:HB2	3:A:238:VAL:HG23	1.90	0.54
3:A:326:LYS:O	3:A:328:ARG:HG2	2.06	0.54
3:A:68:LYS:HB2	3:A:68:LYS:NZ	2.23	0.54
3:A:283:ARG:HG2	3:A:293:ILE:HB	1.90	0.53
3:A:15:ILE:CB	3:A:46:ILE:HD11	2.38	0.53
3:A:270:LEU:CD2	3:A:319:ILE:HD13	2.38	0.53
3:A:207:GLN:HB3	3:A:210:LEU:HG	1.91	0.53
3:A:81:LYS:NZ	3:A:86:GLU:HB2	2.23	0.53
3:A:259:LEU:HD12	3:A:260:ILE:H	1.74	0.53
2:P:6:DT:H2"	2:P:7:DG:C8	2.44	0.53
3:A:278:PHE:CE2	3:A:333:ARG:HD2	2.43	0.53
3:A:207:GLN:O	3:A:210:LEU:N	2.34	0.53
3:A:254:ARG:HH11	3:A:255:ILE:H	1.55	0.53
3:A:180:SER:HB3	3:A:183:ARG:HH21	1.74	0.52
3:A:277:ILE:HD11	3:A:335:GLU:CB	2.35	0.52
3:A:244:LYS:HB3	3:A:245:ASN:HD22	1.74	0.52
3:A:182:ARG:NH1	3:A:273:THR:HG21	2.24	0.52
3:A:15:ILE:CG2	3:A:46:ILE:HD11	2.40	0.52
3:A:15:ILE:O	3:A:19:LEU:HB2	2.09	0.52
3:A:58:GLU:O	3:A:61:LYS:HG3	2.10	0.52
3:A:240:GLN:NE2	3:A:250:TYR:O	2.43	0.52
3:A:83:ARG:O	3:A:86:GLU:N	2.43	0.52
3:A:13:GLY:O	3:A:16:THR:N	2.43	0.52
3:A:200:PHE:C	3:A:201:THR:HG22	2.30	0.51
3:A:11:LEU:N	3:A:11:LEU:HD23	2.19	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:253:ARG:HH11	3:A:253:ARG:CG	2.23	0.51
3:A:100:LEU:O	3:A:106:ILE:HG21	2.10	0.51
3:A:150:ILE:HG21	3:A:158:MET:CE	2.40	0.51
3:A:240:GLN:NE2	3:A:252:HIS:CE1	2.78	0.51
3:A:19:LEU:HB3	3:A:43:ALA:HB2	1.93	0.51
3:A:258:ARG:NH2	3:A:272:PHE:CZ	2.77	0.51
3:A:266:TYR:HB2	3:A:313:VAL:CG1	2.41	0.51
3:A:278:PHE:HE1	3:A:328:ARG:HD3	1.76	0.51
3:A:36:TYR:CD2	3:A:37:ASN:N	2.79	0.51
3:A:180:SER:HA	3:A:183:ARG:HE	1.75	0.51
3:A:73:ILE:HG22	3:A:77:LEU:CD2	2.38	0.50
3:A:271:TYR:CD1	3:A:283:ARG:NH2	2.79	0.50
3:A:121:THR:HG23	3:A:124:ASP:CG	2.31	0.50
3:A:172:GLU:HB3	3:A:197:HIS:NE2	2.26	0.50
3:A:119:ILE:CG2	3:A:124:ASP:HB3	2.41	0.50
2:P:5:DA:P	3:A:109:SER:HB3	2.50	0.50
3:A:165:GLU:HA	3:A:168:LYS:CG	2.40	0.50
3:A:327:TYR:HE1	3:A:333:ARG:HH21	1.57	0.50
3:A:180:SER:CB	3:A:183:ARG:HH21	2.24	0.50
3:A:197:HIS:HD1	3:A:199:SER:HB3	1.75	0.50
3:A:262:LYS:O	3:A:262:LYS:HG3	2.12	0.50
3:A:245:ASN:N	3:A:245:ASN:ND2	2.29	0.50
3:A:103:VAL:CG1	3:A:106:ILE:HD12	2.42	0.50
3:A:285:HIS:NE2	5:A:583:HOH:O	2.35	0.50
3:A:226:ASP:HB2	3:A:238:VAL:CG2	2.42	0.50
3:A:265:TYR:HD2	3:A:266:TYR:CE1	2.29	0.49
3:A:303:VAL:O	3:A:305:GLY:N	2.45	0.49
3:A:127:LYS:HE3	3:A:127:LYS:HA	1.94	0.49
3:A:18:MET:HE2	3:A:82:LEU:HD13	1.95	0.49
3:A:212:HIS:CD2	3:A:212:HIS:N	2.77	0.49
3:A:25:PHE:CG	3:A:88:ILE:HD13	2.47	0.49
3:A:291:PHE:CD2	3:A:323:ILE:HG22	2.44	0.49
3:A:142:TYR:CE2	3:A:238:VAL:HG11	2.48	0.49
3:A:264:GLN:NE2	3:A:297:THR:HG23	2.27	0.49
3:A:125:LEU:CD2	3:A:132:LEU:HD21	2.41	0.49
3:A:278:PHE:HB2	3:A:333:ARG:O	2.13	0.49
3:A:254:ARG:HA	3:A:254:ARG:HH11	1.78	0.49
1:T:4:DT:H73	5:T:663:HOH:O	2.12	0.49
3:A:244:LYS:HB3	3:A:245:ASN:ND2	2.28	0.48
3:A:286:ALA:CB	3:A:293:ILE:HD11	2.43	0.48
3:A:149:ARG:NH2	3:A:187:SER:O	2.46	0.48

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:319:ILE:O	3:A:322:TYR:HB2	2.12	0.48
3:A:210:LEU:HB3	3:A:259:LEU:HD21	1.96	0.48
3:A:49:TYR:CG	3:A:50:PRO:HD2	2.48	0.48
3:A:200:PHE:HB2	3:A:210:LEU:CD1	2.43	0.48
3:A:253:ARG:HG2	3:A:253:ARG:HH11	1.79	0.48
3:A:299:ARG:HG2	3:A:310:PRO:HA	1.96	0.48
3:A:282:MET:HA	3:A:325:TRP:CH2	2.49	0.48
3:A:282:MET:HG3	3:A:323:ILE:HD11	1.94	0.47
3:A:49:TYR:HA	3:A:50:PRO:HD3	1.35	0.47
3:A:149:ARG:NH2	3:A:188:SER:HA	2.30	0.47
3:A:194:LEU:HD21	3:A:272:PHE:HD2	1.80	0.47
3:A:182:ARG:NH1	3:A:273:THR:CG2	2.77	0.47
3:A:14:GLY:O	3:A:18:MET:HB3	2.14	0.47
3:A:259:LEU:HD12	3:A:260:ILE:N	2.30	0.47
3:A:270:LEU:HA	3:A:316:GLU:OE2	2.14	0.47
3:A:202:SER:H	3:A:261:PRO:HB3	1.80	0.47
3:A:260:ILE:HG22	3:A:261:PRO:N	2.30	0.47
3:A:56:GLY:O	3:A:59:ALA:N	2.48	0.47
3:A:152:ARG:NH2	3:A:181:PHE:O	2.37	0.47
3:A:264:GLN:HE21	3:A:297:THR:HG23	1.80	0.47
3:A:282:MET:HG3	3:A:323:ILE:CD1	2.45	0.47
3:A:228:LEU:O	3:A:229:SER:HB3	2.14	0.47
3:A:18:MET:CE	3:A:76:PHE:HB2	2.45	0.47
2:P:2:DC:H1'	5:P:635:HOH:O	2.15	0.47
3:A:264:GLN:NE2	3:A:296:TYR:HB3	2.30	0.47
3:A:294:ASN:HB2	3:A:295:GLU:OE1	2.14	0.46
3:A:258:ARG:NH2	3:A:272:PHE:HZ	2.13	0.46
3:A:182:ARG:NH1	3:A:182:ARG:CG	2.76	0.46
2:P:5:DA:H2'	2:P:6:DT:H71	1.96	0.46
3:A:207:GLN:OE1	3:A:210:LEU:HD21	2.15	0.46
3:A:259:LEU:HA	3:A:259:LEU:HD12	1.31	0.46
3:A:309:GLU:HA	3:A:310:PRO:HD2	1.53	0.46
3:A:22:LEU:HA	3:A:22:LEU:HD13	1.65	0.46
3:A:286:ALA:HB1	3:A:291:PHE:HB2	1.97	0.46
3:A:149:ARG:HH21	3:A:187:SER:C	2.18	0.46
3:A:250:TYR:HB3	5:A:577:HOH:O	2.14	0.46
3:A:77:LEU:CD1	3:A:77:LEU:N	2.79	0.46
3:A:85:LEU:HA	3:A:85:LEU:HD12	1.70	0.46
3:A:293:ILE:HD12	3:A:293:ILE:HG23	1.56	0.46
3:A:138:ILE:HG21	3:A:228:LEU:CD1	2.46	0.46
3:A:49:TYR:CD1	3:A:50:PRO:HD2	2.50	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:157:GLN:HE22	3:A:244:LYS:NZ	2.13	0.46
3:A:180:SER:HB3	3:A:183:ARG:NH2	2.30	0.46
3:A:255:ILE:HG12	3:A:256:ASP:H	1.80	0.46
3:A:266:TYR:HA	3:A:269:VAL:HB	1.96	0.46
3:A:271:TYR:CE1	3:A:283:ARG:NH2	2.83	0.46
3:A:38:ALA:O	3:A:41:LYS:HD3	2.16	0.46
3:A:128:ASN:H	3:A:128:ASN:HD22	1.62	0.46
3:A:298:ILE:HA	5:A:593:HOH:O	2.16	0.45
3:A:212:HIS:HB3	5:A:541:HOH:O	2.16	0.45
1:T:6:DG:O6	2:P:2:DC:N3	2.50	0.45
3:A:119:ILE:HG23	3:A:124:ASP:HB3	1.98	0.45
3:A:276:ASP:O	3:A:280:LYS:HG3	2.16	0.45
3:A:200:PHE:HB2	5:A:625:HOH:O	2.17	0.45
3:A:282:MET:O	3:A:285:HIS:HB3	2.16	0.45
3:A:285:HIS:CE1	3:A:289:LYS:HG2	2.51	0.45
3:A:35:LYS:O	3:A:38:ALA:HB3	2.17	0.45
3:A:108:PRO:O	3:A:112:ARG:HG3	2.17	0.45
3:A:25:PHE:CD1	3:A:88:ILE:CD1	2.98	0.45
3:A:49:TYR:CE2	3:A:51:HIS:HB2	2.51	0.45
3:A:164:ASN:O	3:A:168:LYS:HG2	2.16	0.45
3:A:282:MET:HB2	3:A:325:TRP:HZ3	1.80	0.45
3:A:203:GLU:O	3:A:205:THR:N	2.49	0.45
3:A:121:THR:O	3:A:124:ASP:HB2	2.17	0.45
3:A:298:ILE:N	5:A:578:HOH:O	2.49	0.45
3:A:62:LEU:HD12	3:A:63:PRO:HD2	1.99	0.45
3:A:16:THR:HG21	3:A:47:ALA:HB2	1.99	0.45
1:T:4:DT:H2"	1:T:5:DA:C8	2.52	0.45
3:A:141:LYS:HG2	3:A:142:TYR:CE1	2.51	0.44
3:A:330:PRO:HA	3:A:333:ARG:HG3	1.95	0.44
3:A:15:ILE:CG2	3:A:46:ILE:CD1	2.95	0.44
3:A:244:LYS:HG2	3:A:244:LYS:H	1.62	0.44
3:A:195:LEU:HA	3:A:195:LEU:HD12	1.61	0.44
3:A:241:LEU:HB2	3:A:250:TYR:CD2	2.53	0.44
3:A:27:LYS:HB2	3:A:36:TYR:CD1	2.52	0.44
3:A:91:ASP:OD2	3:A:94:SER:HB3	2.17	0.44
3:A:302:GLY:N	3:A:307:ALA:CB	2.79	0.44
3:A:121:THR:H	3:A:124:ASP:CG	2.21	0.44
3:A:218:LEU:N	3:A:218:LEU:CD1	2.80	0.44
3:A:266:TYR:O	3:A:270:LEU:HB2	2.17	0.44
2:P:1:DT:H2'	2:P:2:DC:C6	2.53	0.44
3:A:127:LYS:HB2	3:A:128:ASN:HD21	1.80	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:18:MET:O	3:A:21:GLU:HB2	2.18	0.44
3:A:119:ILE:H	3:A:119:ILE:HG12	1.69	0.43
3:A:81:LYS:NZ	3:A:86:GLU:CB	2.81	0.43
3:A:196:THR:OG1	3:A:262:LYS:HA	2.18	0.43
3:A:286:ALA:HB1	3:A:293:ILE:HD11	2.00	0.43
3:A:79:THR:O	3:A:79:THR:OG1	2.33	0.43
3:A:302:GLY:N	3:A:307:ALA:HB2	2.33	0.43
3:A:285:HIS:NE2	3:A:289:LYS:CG	2.78	0.43
3:A:191:MET:HA	5:A:502:HOH:O	2.18	0.43
3:A:277:ILE:HG13	3:A:335:GLU:HB2	2.00	0.43
2:P:4:DA:H5''	3:A:109:SER:OG	2.18	0.42
3:A:27:LYS:HG3	3:A:28:ASN:HD21	1.82	0.42
3:A:81:LYS:HZ2	3:A:86:GLU:HB2	1.82	0.42
3:A:11:LEU:CD2	3:A:11:LEU:H	2.25	0.42
3:A:23:ALA:CB	3:A:39:TYR:HB2	2.49	0.42
3:A:170:ASP:OD1	3:A:171:SER:N	2.52	0.42
3:A:299:ARG:HG2	3:A:310:PRO:CA	2.50	0.42
3:A:195:LEU:O	3:A:260:ILE:N	2.52	0.42
3:A:33:ILE:HG23	3:A:34:HIS:H	1.83	0.42
3:A:172:GLU:HG2	3:A:198:PRO:HG2	2.01	0.42
3:A:93:THR:HG22	3:A:94:SER:N	2.27	0.42
3:A:314:ASP:O	3:A:315:SER:HB2	2.20	0.42
3:A:201:THR:C	3:A:261:PRO:HB3	2.39	0.42
3:A:140:LEU:HD12	3:A:140:LEU:C	2.38	0.42
3:A:259:LEU:O	3:A:260:ILE:HG12	2.19	0.42
3:A:100:LEU:HD12	3:A:100:LEU:HA	1.55	0.42
3:A:133:ASN:OD1	3:A:136:GLN:HG3	2.20	0.42
3:A:180:SER:HA	3:A:183:ARG:NH2	2.29	0.42
1:T:7:DA:H61	2:P:1:DT:H3	1.68	0.42
3:A:254:ARG:HH12	3:A:255:ILE:N	2.16	0.42
3:A:122:LEU:CD2	3:A:126:ARG:CZ	2.98	0.42
3:A:134:HIS:O	3:A:138:ILE:HG13	2.20	0.41
3:A:206:LYS:O	3:A:207:GLN:HB2	2.19	0.41
3:A:237:GLY:O	3:A:254:ARG:NH1	2.53	0.41
3:A:210:LEU:CB	3:A:259:LEU:HD21	2.51	0.41
3:A:32:ALA:HB1	3:A:35:LYS:HB2	2.02	0.41
3:A:182:ARG:HH11	3:A:273:THR:CG2	2.33	0.41
3:A:16:THR:O	3:A:20:THR:HG23	2.20	0.41
3:A:302:GLY:H	3:A:307:ALA:CB	2.33	0.41
2:P:5:DA:H2''	2:P:6:DT:H5'	1.93	0.41
3:A:286:ALA:O	3:A:291:PHE:HB2	2.19	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:103:VAL:HG12	3:A:103:VAL:O	2.19	0.41
3:A:196:THR:OG1	3:A:260:ILE:O	2.27	0.41
3:A:40:ARG:HB2	3:A:40:ARG:HE	1.66	0.41
3:A:303:VAL:C	3:A:305:GLY:H	2.23	0.41
3:A:230:LYS:HB3	3:A:230:LYS:HE2	1.72	0.41
2:P:5:DA:OP2	3:A:109:SER:HB3	2.20	0.41
3:A:119:ILE:HA	3:A:124:ASP:HB3	2.02	0.41
3:A:170:ASP:HB3	3:A:173:TYR:CD2	2.56	0.41
3:A:284:ALA:O	3:A:287:LEU:HB2	2.21	0.41
2:P:6:DT:C2'	2:P:7:DG:H5''	2.28	0.41
3:A:73:ILE:CG2	3:A:77:LEU:CD2	2.98	0.41
3:A:277:ILE:CG1	3:A:335:GLU:CB	2.98	0.41
3:A:114:PHE:HB3	3:A:119:ILE:HB	2.02	0.41
3:A:299:ARG:HA	3:A:300:PRO:HD3	1.94	0.41
3:A:218:LEU:HD13	3:A:218:LEU:N	2.36	0.41
3:A:133:ASN:O	3:A:137:ARG:HG3	2.21	0.41
3:A:218:LEU:H	3:A:218:LEU:HD13	1.86	0.41
3:A:29:VAL:HG21	3:A:94:SER:HA	2.03	0.40
3:A:146:PHE:CE2	3:A:254:ARG:HD3	2.55	0.40
3:A:133:ASN:ND2	3:A:135:HIS:N	2.65	0.40
3:A:266:TYR:N	5:A:508:HOH:O	2.54	0.40
3:A:151:PRO:HD2	3:A:154:GLU:OE1	2.22	0.40
3:A:218:LEU:HB2	3:A:224:ILE:HD12	2.01	0.40
3:A:241:LEU:O	3:A:250:TYR:HB2	2.21	0.40
2:P:6:DT:H5'	2:P:6:DT:H6	1.85	0.40
3:A:201:THR:HA	3:A:261:PRO:HA	2.02	0.40
3:A:155:MET:HE3	3:A:188:SER:HB2	2.02	0.40
3:A:195:LEU:HB3	3:A:258:ARG:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	325/335 (97%)	269 (83%)	35 (11%)	21 (6%)	1	13

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	32	ALA
3	A	202	SER
3	A	204	SER
3	A	205	THR
3	A	244	LYS
3	A	265	TYR
3	A	295	GLU
3	A	13	GLY
3	A	80	GLY
3	A	289	LYS
3	A	304	THR
3	A	10	THR
3	A	91	ASP
3	A	207	GLN
3	A	262	LYS
3	A	266	TYR
3	A	14	GLY
3	A	229	SER
3	A	298	ILE
3	A	242	PRO
3	A	309	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	288/295 (98%)	231 (80%)	57 (20%)	1	7

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	10	THR
3	A	18	MET
3	A	19	LEU
3	A	30	SER
3	A	36	TYR
3	A	37	ASN
3	A	41	LYS
3	A	44	SER
3	A	46	ILE
3	A	54	LYS
3	A	62	LEU
3	A	67	THR
3	A	77	LEU
3	A	79	THR
3	A	81	LYS
3	A	89	ARG
3	A	92	ASP
3	A	100	LEU
3	A	101	THR
3	A	113	LYS
3	A	121	THR
3	A	128	ASN
3	A	133	ASN
3	A	138	ILE
3	A	145	ASP
3	A	153	GLU
3	A	161	ILE
3	A	182	ARG
3	A	191	MET
3	A	201	THR
3	A	203	GLU
3	A	214	VAL
3	A	218	LEU
3	A	228	LEU
3	A	245	ASN
3	A	248	LYS
3	A	253	ARG
3	A	255	ILE
3	A	262	LYS
3	A	264	GLN
3	A	272	PHE
3	A	277	ILE
3	A	287	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	A	289	LYS
3	A	292	THR
3	A	293	ILE
3	A	294	ASN
3	A	301	LEU
3	A	304	THR
3	A	309	GLU
3	A	311	LEU
3	A	314	ASP
3	A	325	TRP
3	A	326	LYS
3	A	327	TYR
3	A	329	GLU
3	A	331	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	12	ASN
3	A	28	ASN
3	A	31	GLN
3	A	37	ASN
3	A	128	ASN
3	A	133	ASN
3	A	136	GLN
3	A	157	GLN
3	A	213	GLN
3	A	217	GLN
3	A	240	GLN
3	A	245	ASN
3	A	264	GLN
3	A	279	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	T	8/8 (100%)	0.56	0	100	100	24, 41, 88, 97	0
2	P	7/7 (100%)	0.74	0	100	100	11, 24, 46, 71	0
3	A	325/335 (97%)	0.42	11 (3%)	49	42	3, 33, 83, 100	0
All	All	340/350 (97%)	0.43	11 (3%)	51	44	3, 33, 83, 100	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	A	307	ALA	3.3
3	A	285	HIS	3.2
3	A	109	SER	3.1
3	A	284	ALA	2.6
3	A	92	ASP	2.6
3	A	246	ASP	2.6
3	A	91	ASP	2.2
3	A	64	GLY	2.1
3	A	249	GLU	2.1
3	A	297	THR	2.1
3	A	305	GLY	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	NA	A	342	1/1	0.86	0.14	-1.59	19,19,19,19	0
4	NA	A	341	1/1	0.85	0.17	-2.78	1,1,1,1	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.