Full wwPDB X-ray Structure Validation Report (i)

Feb 1, 2016 – 02:36 PM GMT

PDB ID	:	3ZXW
Title	:	STRUCTURE OF ACTIVATED RUBISCO FROM THERMOSYNECHOCOCCUS ELONGATUS COMPLEXED WITH 2-CARBOXYARABINITOL-1,5-DIPHOSPHATE
Authors	:	Terlecka, B.; Wilhelmi, V.; Bialek, W.; Gubernator, B.; Szczepaniak, A.; Hofmann, E.
Deposited on	:	2011-08-16
Resolution	:	2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
http://wwpdb.org/validation/2016/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	475	3% 91% 7%
1	C	475	3% 89% 8%
1	E	475	4% 91% 6%
1	G	475	3% 91% 7%
2	B	118	15% 69% 9% 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	118	14% 69% 9% 21%
2	F	118	13% 68% 11% 21%
2	H	118	26% 69% 9% 21%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	A	1477	-	-	-	X
5	GOL	A	1479	-	-	-	X
5	GOL	C	1477	-	-	-	X
5	GOL	C	1479	-	-	-	X
5	GOL	E	1477	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 18787 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RIBULOSE BISPHOSPHATE CARBOXYLASE LARGE CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	464	Total	C	N	O	S	0	2	0
			3664	2329	637	677	21			
1	C	464	Total	C	N	O	S	0	2	0
			3664	2329	637	677	21			
1	E	464	Total	C	N	O	S	0	2	0
			3664	2329	637	677	21			
1	G	464	Total	C	N	O	S	0	2	0
			3664	2329	637	677	21			

- Molecule 2 is a protein called RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	93	Total	C	N	O	S	0	0	0
			768	492	128	141	7			
2	D	93	Total	C	N	O	S	0	0	0
			768	492	128	141	7			
2	F	93	Total	C	N	O	S	0	0	0
			768	492	128	141	7			
2	H	93	Total	C	N	O	S	0	0	0
			768	492	128	141	7			

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	E	1	Total Mg 1 1	0	0

- Molecule 4 is 2-CARBOXYARABINITOL-1,5-DIPHOSPHATE (three-letter code: CAP) (formula: $C_6H_{14}O_{13}P_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O P 21 6 13 2	0	0
4	C	1	Total C O P 21 6 13 2	0	0
4	E	1	Total C O P 21 6 13 2	0	0
4	G	1	Total C O P 21 6 13 2	0	0

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	E	1	Total C O 6 3 3	0	0
5	E	1	Total C O 6 3 3	0	0
5	G	1	Total C O 6 3 3	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	235	Total O 235 235	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	14	Total O 14 14	0	0
6	C	226	Total O 226 226	0	0
6	D	9	Total O 9 9	0	0
6	E	201	Total O 201 201	0	0
6	F	9	Total O 9 9	0	0
6	G	204	Total O 204 204	0	0
6	H	7	Total O 7 7	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: RIBULOSE BISPHOSPHATE CARBOXYLASE LARGE CHAIN

Chain A:



• Molecule 1: RIBULOSE BISPHOSPHATE CARBOXYLASE LARGE CHAIN

Chain C:



• Molecule 1: RIBULOSE BISPHOSPHATE CARBOXYLASE LARGE CHAIN

Chain E:



• Molecule 1: RIBULOSE BISPHOSPHATE CARBOXYLASE LARGE CHAIN

Chain G:





• Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN

Chain B:



• Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN

Chain D:



• Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN

Chain F:



• Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN

Chain H:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α, β, γ	111.50Å 111.50Å 397.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.92 – 2.10 19.92 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.92-2.10) 98.8 (19.92-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	3.05 (at 2.09Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.181 , 0.213 0.183 , 0.215	Depositor DCC
R_{free} test set	7450 reflections (5.42%)	DCC
Wilson B-factor (Å^2)	28.4	Xtriage
Anisotropy	0.104	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.38 , 58.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning[2]	$< \|L\| > = 0.45$, $< L^2 > = 0.28$	Xtriage
Outliers	2 of 144795 reflections (0.001%)	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	18787	wwPDB-VP
Average B, all atoms (Å^2)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.51% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, CAP, KCX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.39	0/3744	0.51	0/5074
1	C	0.39	0/3744	0.52	0/5074
1	E	0.39	0/3744	0.52	0/5074
1	G	0.38	0/3744	0.51	0/5074
2	B	0.34	0/789	0.46	0/1075
2	D	0.34	0/789	0.46	0/1075
2	F	0.35	0/789	0.46	0/1075
2	H	0.35	0/789	0.46	0/1075
All	All	0.38	0/18132	0.51	0/24596

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3664	0	3576	19	0
1	C	3664	0	3576	24	0
1	E	3664	0	3576	18	0
1	G	3664	0	3576	20	0
2	B	768	0	735	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	768	0	735	5	0
2	F	768	0	735	8	0
2	H	768	0	735	5	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
3	E	1	0	0	0	0
3	G	1	0	0	0	0
4	A	21	0	9	1	0
4	C	21	0	9	1	0
4	E	21	0	8	1	0
4	G	21	0	9	1	0
5	A	24	0	32	0	0
5	C	24	0	32	1	0
5	E	12	0	16	0	0
5	G	6	0	8	1	0
6	A	235	0	0	0	0
6	B	14	0	0	0	0
6	C	226	0	0	0	1
6	D	9	0	0	0	0
6	E	201	0	0	0	0
6	F	9	0	0	1	0
6	G	204	0	0	0	1
6	H	7	0	0	0	0
All	All	18787	0	17367	102	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:212:GLN:OE1	1:A:217:ARG:HD3	1.86	0.76
1:C:201:KCX:OQ2	4:C:477:CAP:O3	2.05	0.74
1:E:201:KCX:OQ2	4:E:477:CAP:O3	2.09	0.70
1:G:109:GLU:H	1:G:115:ASN:ND2	1.92	0.68
1:G:18:LYS:H	5:G:1476:GOL:H12	1.59	0.67
1:A:149:GLN:HE22	1:A:282:LYS:HA	1.61	0.65
1:E:212:GLN:OE1	1:E:217:ARG:HD3	1.96	0.65
1:G:201:KCX:OQ2	4:G:477:CAP:O3	2.10	0.64
1:A:36[B]:ILE:HD12	1:A:36[B]:ILE:N	2.13	0.63
1:A:201:KCX:HB2	1:A:239:TYR:CD2	2.34	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:36[B]:ILE:N	1:E:36[B]:ILE:HD12	2.14	0.62
1:G:212:GLN:OE1	1:G:217:ARG:HD3	1.99	0.62
1:G:109:GLU:H	1:G:115:ASN:HD22	1.49	0.60
2:F:96:CYS:HB2	6:F:2008:HOH:O	2.01	0.60
1:C:109:GLU:H	1:C:115:ASN:ND2	2.01	0.59
1:A:171:GLY:HA2	1:A:199:PHE:O	2.02	0.59
1:G:171:GLY:HA2	1:G:199:PHE:O	2.04	0.58
1:G:172:CYS:SG	1:G:200:THR:HG22	2.43	0.58
1:C:36[B]:ILE:N	1:C:36[B]:ILE:HD12	2.18	0.58
1:G:239:TYR:HB3	1:G:266:MET:HB3	1.87	0.57
1:G:36[B]:ILE:N	1:G:36[B]:ILE:HD12	2.20	0.57
1:A:109:GLU:H	1:A:115:ASN:ND2	2.03	0.56
1:A:239:TYR:HB3	1:A:266:MET:HB3	1.86	0.56
1:G:201:KCX:HB2	1:G:239:TYR:CD2	2.41	0.56
1:E:172:CYS:SG	1:E:200:THR:HG22	2.46	0.55
1:E:172:CYS:HB3	1:E:197:LEU:CD1	2.38	0.54
1:C:201:KCX:HB2	1:C:239:TYR:CD2	2.42	0.54
1:A:172:CYS:HB3	1:A:197:LEU:CD1	2.37	0.54
1:C:212:GLN:OE1	1:C:217:ARG:HD3	2.09	0.52
1:E:109:GLU:H	1:E:115:ASN:ND2	2.08	0.52
1:A:201:KCX:OQ2	4:A:477:CAP:O3	2.15	0.52
1:C:172:CYS:HB3	1:C:197:LEU:CD1	2.40	0.52
1:E:31:PRO:HB3	1:E:37:LEU:HD21	1.92	0.51
1:C:171:GLY:HA2	1:C:199:PHE:O	2.10	0.51
1:C:172:CYS:SG	1:C:200:THR:HG22	2.51	0.51
1:E:171:GLY:HA2	1:E:199:PHE:O	2.09	0.51
1:C:414:ALA:HB3	1:C:415:PRO:HD3	1.94	0.50
1:C:383:HIS:CE1	1:C:385:TRP:HB2	2.47	0.50
2:F:97:GLN:HE21	2:F:100:SER:HB2	1.77	0.49
1:C:109:GLU:H	1:C:115:ASN:HD22	1.61	0.48
2:D:97:GLN:HE21	2:D:100:SER:HB2	1.79	0.48
1:E:201:KCX:HB2	1:E:239:TYR:CD2	2.48	0.48
2:B:97:GLN:HE21	2:B:100:SER:HB2	1.79	0.48
1:G:414:ALA:HB3	1:G:415:PRO:HD3	1.95	0.48
1:E:239:TYR:HB3	1:E:266:MET:HB3	1.96	0.48
1:G:410:PRO:HD3	1:G:461:LEU:HD22	1.96	0.47
1:G:172:CYS:HB3	1:G:197:LEU:CD1	2.44	0.47
2:F:70:LEU:O	2:F:74:GLN:HG2	2.15	0.47
2:H:97:GLN:HE21	2:H:100:SER:HB2	1.79	0.47
1:E:327:HIS:HA	1:E:377:VAL:HB	1.97	0.47
1:A:31:PRO:HB3	1:A:37:LEU:HD21	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:70:LEU:O	2:D:74:GLN:HG2	2.15	0.47
1:G:383:HIS:CE1	1:G:385:TRP:HB2	2.49	0.47
1:C:327:HIS:HA	1:C:377:VAL:HB	1.96	0.46
2:H:70:LEU:O	2:H:74:GLN:HG2	2.15	0.46
1:E:36[B]:ILE:CD1	1:E:36[B]:ILE:N	2.78	0.46
1:A:36[B]:ILE:CD1	1:A:36[B]:ILE:N	2.78	0.46
1:E:443:ASP:O	1:E:447:GLU:HB2	2.15	0.46
2:B:70:LEU:O	2:B:74:GLN:HG2	2.16	0.46
1:A:172:CYS:SG	1:A:200:THR:HG22	2.57	0.45
1:A:295:ARG:HG2	1:A:327:HIS:HB2	1.99	0.45
1:C:244:ALA:HB1	1:C:245:PRO:HD2	1.99	0.45
1:E:109:GLU:H	1:E:115:ASN:HD22	1.63	0.45
1:E:152:PRO:HB2	1:E:153:HIS:CD2	2.52	0.45
1:C:19:ASP:HB3	1:C:21:ARG:HG2	1.98	0.45
1:A:327:HIS:HA	1:A:377:VAL:HB	2.00	0.44
1:E:350:ARG:HG2	1:E:374:VAL:O	2.17	0.43
1:G:376:ALA:O	1:G:398:ALA:HA	2.19	0.43
1:C:239:TYR:HB3	1:C:266:MET:HB3	2.00	0.43
1:C:36[B]:ILE:CD1	1:C:36[B]:ILE:N	2.81	0.43
2:D:30:TYR:O	2:D:34:GLN:HG2	2.18	0.43
2:F:65:ASN:HD21	2:F:67:GLN:HB3	1.84	0.43
2:H:30:TYR:O	2:H:34:GLN:HG2	2.19	0.43
2:F:30:TYR:O	2:F:34:GLN:HG2	2.19	0.43
1:C:175:LYS:HA	1:C:176:PRO:C	2.40	0.43
1:C:330:THR:O	1:C:331:VAL:HB	2.18	0.42
1:C:170:LEU:HG	1:C:424:LEU:HD22	2.00	0.42
1:G:350:ARG:HG2	1:G:374:VAL:O	2.19	0.42
2:B:65:ASN:HD21	2:B:67:GLN:HB3	1.84	0.42
2:F:89:ALA:HB3	2:F:99:MET:HG2	2.02	0.42
1:G:327:HIS:HA	1:G:377:VAL:HB	2.02	0.42
1:E:460:GLU:HA	1:E:463:LYS:HE3	2.01	0.42
1:C:295:ARG:HG2	1:C:327:HIS:HB2	2.02	0.42
2:H:65:ASN:HD21	2:H:67:GLN:HB3	1.85	0.42
2:B:89:ALA:HB3	2:B:99:MET:HG2	2.01	0.41
2:B:30:TYR:O	2:B:34:GLN:HG2	2.19	0.41
1:E:165:TYR:CD1	2:F:97:GLN:HB3	2.55	0.41
1:C:88:GLU:HG3	5:C:1477:GOL:H12	2.01	0.41
1:C:350:ARG:HG2	1:C:374:VAL:O	2.21	0.41
1:G:152:PRO:HB2	1:G:153:HIS:CD2	2.56	0.41
2:F:53:TRP:O	1:G:187:ARG:NH1	2.50	0.41
1:G:36[B]:ILE:N	1:G:36[B]:ILE:CD1	2.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:89:ALA:HB3	2:D:99:MET:HG2	2.02	0.41
1:A:266:MET:HA	1:A:292:HIS:O	2.21	0.41
1:A:197:LEU:HG	1:A:417:ALA:HB1	2.03	0.41
1:C:376:ALA:O	1:C:398:ALA:HA	2.21	0.41
1:C:138:LEU:O	1:C:316:LYS:NZ	2.36	0.41
1:A:409:HIS:CD2	1:A:458:ALA:HB2	2.57	0.40
2:H:89:ALA:HB3	2:H:99:MET:HG2	2.03	0.40
1:A:376:ALA:O	1:A:398:ALA:HA	2.20	0.40
2:D:65:ASN:HD21	2:D:67:GLN:HB3	1.85	0.40
1:A:350:ARG:HG2	1:A:374:VAL:O	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:G:2134:HOH:O	6:G:2134:HOH:O[7_555]	1.70	0.50
6:C:2169:HOH:O	6:C:2169:HOH:O[7_555]	2.10	0.10

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	463/475 (98%)	450 (97%)	12 (3%)	1 (0%)	52 53
1	C	463/475 (98%)	451 (97%)	11 (2%)	1 (0%)	52 53
1	E	463/475 (98%)	449 (97%)	14 (3%)	0	100 100
1	G	463/475 (98%)	451 (97%)	12 (3%)	0	100 100
2	B	91/118 (77%)	90 (99%)	1 (1%)	0	100 100
2	D	91/118 (77%)	90 (99%)	1 (1%)	0	100 100
2	F	91/118 (77%)	90 (99%)	1 (1%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	H	91/118 (77%)	90 (99%)	1 (1%)	0	100 100
All	All	2216/2372 (93%)	2161 (98%)	53 (2%)	2 (0%)	56 58

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	337	GLY
1	C	337	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	377/385 (98%)	373 (99%)	4 (1%)	80 85
1	C	377/385 (98%)	371 (98%)	6 (2%)	70 76
1	E	377/385 (98%)	369 (98%)	8 (2%)	61 66
1	G	377/385 (98%)	370 (98%)	7 (2%)	65 70
2	B	86/108 (80%)	85 (99%)	1 (1%)	78 84
2	D	86/108 (80%)	85 (99%)	1 (1%)	78 84
2	F	86/108 (80%)	85 (99%)	1 (1%)	78 84
2	H	86/108 (80%)	85 (99%)	1 (1%)	78 84
All	All	1852/1972 (94%)	1823 (98%)	29 (2%)	70 76

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	172	CYS
1	A	192	CYS
1	A	203	ASP
1	A	451	TRP
2	B	63	CYS
1	C	127	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	172	CYS
1	C	187	ARG
1	C	192	CYS
1	C	203	ASP
1	C	239	TYR
2	D	63	CYS
1	E	74	LEU
1	E	172	CYS
1	E	192	CYS
1	E	203	ASP
1	E	239	TYR
1	E	438	MET
1	E	439	ARG
1	E	451	TRP
2	F	63	CYS
1	G	73	LEU
1	G	127	PHE
1	G	172	CYS
1	G	192	CYS
1	G	203	ASP
1	G	239	TYR
1	G	451	TRP
2	H	63	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	115	ASN
1	A	149	GLN
1	A	153	HIS
1	A	401	GLN
2	B	65	ASN
2	B	97	GLN
1	C	115	ASN
1	C	153	HIS
1	C	401	GLN
2	D	65	ASN
2	D	97	GLN
1	E	115	ASN
1	E	153	HIS
1	E	401	GLN
2	F	65	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	97	GLN
1	G	115	ASN
1	G	153	HIS
1	G	401	GLN
2	H	65	ASN
2	H	97	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
1	KCX	A	201	1,3	7,11,12	0.53	0	7,12,14	1.46	1 (14%)
1	KCX	C	201	1,3	7,11,12	0.54	0	7,12,14	1.56	1 (14%)
1	KCX	E	201	1,3	7,11,12	0.51	0	7,12,14	1.39	1 (14%)
1	KCX	G	201	1,3	7,11,12	0.44	0	7,12,14	1.43	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	A	201	1,3	-	0/6/10/12	0/0/0/0
1	KCX	C	201	1,3	-	0/6/10/12	0/0/0/0
1	KCX	E	201	1,3	-	0/6/10/12	0/0/0/0
1	KCX	G	201	1,3	-	0/6/10/12	0/0/0/0

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	201	KCX	CD-CE-NZ	-3.36	102.36	111.46
1	G	201	KCX	CD-CE-NZ	-3.30	102.53	111.46
1	E	201	KCX	CD-CE-NZ	-3.24	102.68	111.46
1	C	201	KCX	CD-CE-NZ	-3.04	103.22	111.46

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	201	KCX	2	0
1	C	201	KCX	2	0
1	E	201	KCX	2	0
1	G	201	KCX	2	0

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 19 ligands modelled in this entry, 4 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
5	GOL	A	1476	-	5,5,5	0.32	0	5,5,5	0.23	0
5	GOL	A	1477	-	5,5,5	0.33	0	5,5,5	0.17	0
5	GOL	A	1478	-	5,5,5	0.35	0	5,5,5	0.26	0
5	GOL	A	1479	-	5,5,5	0.34	0	5,5,5	0.28	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
4	CAP	A	477	3	14,20,20	0.86	0	15,31,31	0.66	0
5	GOL	C	1476	-	5,5,5	0.32	0	5,5,5	0.24	0
5	GOL	C	1477	-	5,5,5	0.34	0	5,5,5	0.17	0
5	GOL	C	1478	-	5,5,5	0.30	0	5,5,5	0.35	0
5	GOL	C	1479	-	5,5,5	0.31	0	5,5,5	0.25	0
4	CAP	C	477	3	14,20,20	0.83	0	15,31,31	0.71	0
5	GOL	E	1476	-	5,5,5	0.32	0	5,5,5	0.30	0
5	GOL	E	1477	-	5,5,5	0.34	0	5,5,5	0.20	0
4	CAP	E	477	3	14,20,20	0.91	1 (7%)	15,31,31	0.60	0
5	GOL	G	1476	-	5,5,5	0.36	0	5,5,5	0.25	0
4	CAP	G	477	3	14,20,20	0.82	0	15,31,31	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	1476	-	-	0/4/4/4	0/0/0/0
5	GOL	A	1477	-	-	0/4/4/4	0/0/0/0
5	GOL	A	1478	-	-	0/4/4/4	0/0/0/0
5	GOL	A	1479	-	-	0/4/4/4	0/0/0/0
4	CAP	A	477	3	-	0/23/29/29	0/0/0/0
5	GOL	C	1476	-	-	0/4/4/4	0/0/0/0
5	GOL	C	1477	-	-	0/4/4/4	0/0/0/0
5	GOL	C	1478	-	-	0/4/4/4	0/0/0/0
5	GOL	C	1479	-	-	0/4/4/4	0/0/0/0
4	CAP	C	477	3	-	0/23/29/29	0/0/0/0
5	GOL	E	1476	-	-	0/4/4/4	0/0/0/0
5	GOL	E	1477	-	-	0/4/4/4	0/0/0/0
4	CAP	E	477	3	-	0/23/29/29	0/0/0/0
5	GOL	G	1476	-	-	0/4/4/4	0/0/0/0
4	CAP	G	477	3	-	0/23/29/29	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	477	CAP	O2-C2	2.14	1.46	1.43

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	477	CAP	1	0
5	C	1477	GOL	1	0
4	C	477	CAP	1	0
4	E	477	CAP	1	0
5	G	1476	GOL	1	0
4	G	477	CAP	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	463/475 (97%)	-0.08	16 (3%)	48	57	14, 30, 55, 95	0
1	C	463/475 (97%)	-0.15	12 (2%)	59	66	13, 29, 55, 95	0
1	E	463/475 (97%)	-0.11	18 (3%)	43	52	14, 30, 55, 95	0
1	G	463/475 (97%)	-0.24	16 (3%)	48	57	14, 30, 55, 95	0
2	B	93/118 (78%)	0.97	18 (19%)	1	2	33, 55, 71, 76	0
2	D	93/118 (78%)	1.05	17 (18%)	2	2	33, 55, 71, 76	0
2	F	93/118 (78%)	1.08	15 (16%)	3	4	33, 55, 71, 76	0
2	H	93/118 (78%)	1.53	31 (33%)	0	1	33, 55, 71, 104	0
All	All	2224/2372 (93%)	0.07	143 (6%)	23	30	13, 33, 65, 104	0

All (143) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	63	CYS	6.9
2	H	63	CYS	6.8
2	D	62	ASN	6.4
2	H	62	ASN	6.3
2	H	64	THR	5.9
1	E	451	TRP	5.9
1	G	439	ARG	5.8
2	F	62	ASN	5.8
1	A	439	ARG	5.7
2	H	78	SER	5.5
2	B	62	ASN	5.3
2	F	64	THR	5.1
2	H	19	LEU	4.8
1	C	439	ARG	4.6
2	D	63	CYS	4.5
2	H	70	LEU	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	48	ALA	4.5
1	G	451	TRP	4.4
1	A	475	ILE	4.3
1	A	438	MET	4.1
1	A	450	ARG	4.1
1	G	438	MET	4.1
1	E	14	GLN	4.1
1	C	94	ASP	4.1
1	C	92	GLY	4.1
1	E	439	ARG	4.0
2	D	82	ASN	3.9
1	E	12	GLY	3.9
1	G	92	GLY	3.9
1	C	12	GLY	3.7
2	H	82	ASN	3.6
2	B	64	THR	3.6
2	D	106	PRO	3.6
2	B	63	CYS	3.5
2	B	70	LEU	3.4
1	A	172	CYS	3.4
1	E	172	CYS	3.4
1	G	470	GLU	3.4
2	H	93	ILE	3.4
2	D	64	THR	3.4
1	A	464	GLU	3.4
2	B	78	SER	3.3
2	F	82	ASN	3.3
1	E	92	GLY	3.3
2	B	75	GLN	3.3
2	H	48	ALA	3.2
2	H	20	SER	3.1
1	C	28	ASP	3.1
1	E	28	ASP	3.1
1	A	451	TRP	3.1
1	G	464	GLU	3.1
2	B	67	GLN	3.1
1	G	14	GLN	3.0
2	B	105	LYS	3.0
2	H	74	GLN	3.0
1	A	442	GLY	2.9
1	E	93	GLU	2.9
1	G	94	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	45	THR	2.9
1	E	468	GLU	2.9
1	C	93	GLU	2.9
1	C	451	TRP	2.9
1	E	47	GLY	2.8
1	E	94	ASP	2.8
2	H	106	PRO	2.8
1	E	30	THR	2.8
2	D	78	SER	2.8
1	G	465	ILE	2.8
2	D	74	GLN	2.8
2	F	78	SER	2.8
1	A	22	LEU	2.7
1	C	384	VAL	2.7
1	G	442	GLY	2.7
2	F	21	ASP	2.7
2	B	14	SER	2.7
1	G	22	LEU	2.7
1	A	468	GLU	2.7
2	D	14	SER	2.7
1	A	47	GLY	2.7
2	H	81	PRO	2.6
2	H	67	GLN	2.6
2	D	75	GLN	2.6
2	B	65	ASN	2.6
2	H	47	ASN	2.6
2	H	79	GLU	2.6
2	H	65	ASN	2.6
1	G	475	ILE	2.6
2	D	80	TYR	2.5
2	F	75	GLN	2.5
2	H	61	PHE	2.5
2	H	46	SER	2.5
2	D	71	ASN	2.5
2	B	46	SER	2.5
1	C	464	GLU	2.5
2	F	22	ALA	2.5
2	H	80	TYR	2.5
1	A	14	GLN	2.5
2	H	51	ARG	2.5
2	B	71	ASN	2.5
2	H	71	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	22	ALA	2.4
1	A	28	ASP	2.4
2	F	69	VAL	2.4
1	G	468	GLU	2.4
2	F	45	THR	2.4
1	E	423	ALA	2.4
1	E	463	LYS	2.4
2	F	65	ASN	2.4
2	F	20	SER	2.4
1	E	475	ILE	2.3
2	B	50	ILE	2.3
1	C	385	TRP	2.3
1	E	464	GLU	2.3
2	H	56	TRP	2.3
2	H	18	PRO	2.3
1	G	436	ASP	2.3
2	H	28	ILE	2.2
2	D	67	GLN	2.2
1	G	28	ASP	2.2
1	G	47	GLY	2.2
1	A	94	ASP	2.2
2	B	68	ASP	2.2
1	E	192	CYS	2.2
1	C	438	MET	2.2
1	A	92	GLY	2.2
2	H	24	ILE	2.1
1	E	450	ARG	2.1
2	H	84	PHE	2.1
1	A	463	LYS	2.1
2	D	33	ASP	2.1
2	H	21	ASP	2.1
2	D	76	CYS	2.1
2	D	65	ASN	2.1
1	C	463	LYS	2.1
2	B	82	ASN	2.1
2	H	33	ASP	2.1
2	B	77	ARG	2.0
2	F	19	LEU	2.0
2	D	46	SER	2.0
2	H	57	LYS	2.0
2	B	33	ASP	2.0
2	H	49	GLU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	17	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å^2)	Q<0.9
1	KCX	E	201	12/13	0.93	0.12	-	19,26,38,38	0
1	KCX	G	201	12/13	0.93	0.13	-	22,27,37,39	0
1	KCX	A	201	12/13	0.90	0.12	-	24,25,34,35	0
1	KCX	C	201	12/13	0.95	0.11	-	21,26,37,38	0

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å^2)	Q<0.9
5	GOL	E	1477	6/6	0.89	0.40	16.68	48,56,65,73	0
5	GOL	A	1477	6/6	0.89	0.41	11.93	44,55,91,101	0
5	GOL	C	1479	6/6	0.65	0.35	11.72	40,48,68,94	0
5	GOL	C	1477	6/6	0.79	0.20	7.40	41,66,74,100	0
5	GOL	A	1479	6/6	0.70	0.19	4.80	58,68,87,88	0
5	GOL	C	1478	6/6	0.81	0.17	1.61	42,64,74,101	0
5	GOL	E	1476	6/6	0.81	0.18	1.53	35,64,74,78	0
5	GOL	C	1476	6/6	0.89	0.15	1.27	31,44,82,92	0
5	GOL	G	1476	6/6	0.91	0.13	1.04	46,51,59,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å^2)	Q<0.9
5	GOL	A	1476	6/6	0.86	0.14	1.01	45,60,81,83	0
3	MG	G	476	1/1	0.96	0.12	0.53	29,29,29,29	0
3	MG	C	476	1/1	0.94	0.08	-0.84	28,28,28,28	0
4	CAP	A	477	21/21	0.98	0.08	-0.97	25,34,46,70	0
4	CAP	C	477	21/21	0.97	0.07	-1.12	22,28,39,57	0
3	MG	A	476	1/1	0.98	0.08	-1.13	35,35,35,35	0
4	CAP	G	477	21/21	0.98	0.06	-1.22	22,29,40,154	0
4	CAP	E	477	21/21	0.97	0.07	-1.43	24,33,50,65	0
3	MG	E	476	1/1	0.97	0.05	-2.84	30,30,30,30	0
5	GOL	A	1478	6/6	0.87	0.23	-	53,56,86,144	0

6.5 Other polymers (i)

There are no such residues in this entry.