



wwPDB X-ray Structure Validation Summary Report (i)

Mar 24, 2016 – 12:39 PM EDT

PDB ID : 4ZY2
Title : X-ray crystal structure of PfA-M17 in complex with hydroxamic acid-based inhibitor 10o
Authors : Drinkwater, N.; McGowan, S.
Deposited on : 2015-05-21
Resolution : 2.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org

A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027107
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0122
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027107


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	G	522	%	93%	6% ..
1	H	522	%	91%	9% ..
1	I	522	%	92%	7% ..
1	J	522	%	93%	6% ..
1	K	522	%	92%	5% ..
1	L	522	%	89%	9% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	A	1004	-	-	X	-
4	SO4	A	1005	-	-	-	X
4	SO4	C	1005	-	-	-	X
4	SO4	C	1007	-	-	-	X
4	SO4	E	1004	-	-	-	X
4	SO4	E	1006	-	-	-	X
4	SO4	F	1005	-	-	-	X
4	SO4	G	1006	-	-	-	X
4	SO4	H	1005	-	-	-	X
4	SO4	I	1006	-	-	-	X
4	SO4	I	1007	-	-	-	X
4	SO4	I	1008	-	-	-	X
4	SO4	J	1006	-	-	-	X
5	1PE	A	1007	-	-	-	X
5	1PE	B	1006	-	-	-	X
5	1PE	C	1009	-	-	-	X
5	1PE	D	1007	-	-	-	X
5	1PE	E	1010	-	-	-	X
5	1PE	F	1007	-	-	X	-
5	1PE	F	1008	-	-	-	X
5	1PE	F	1010	-	-	-	X
5	1PE	F	1011	-	-	-	X
5	1PE	G	1007	-	-	-	X
5	1PE	G	1011	-	-	-	X
5	1PE	G	1012	-	-	-	X
5	1PE	H	1008	-	-	-	X
5	1PE	I	1011	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	1PE	J	1010	-	-	-	X
5	1PE	K	1006	-	-	-	X
5	1PE	L	1006	-	-	-	X
5	1PE	L	1007	-	-	-	X
7	DMS	H	1007	-	-	-	X
7	DMS	L	1009	-	-	-	X

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 52900 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable M17 family aminopeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	519	Total	C 3984	N 2558	O 641	S 766	19	0	0
1	B	517	Total	C 3921	N 2518	O 635	S 749	19	0	0
1	C	518	Total	C 3968	N 2551	O 641	S 756	20	0	0
1	D	513	Total	C 3926	N 2527	O 632	S 747	20	0	0
1	E	513	Total	C 3916	N 2522	O 630	S 745	19	0	0
1	F	512	Total	C 3870	N 2487	O 625	S 739	19	0	0
1	G	518	Total	C 3983	N 2558	O 641	S 764	20	0	0
1	H	518	Total	C 3930	N 2524	O 636	S 750	20	0	0
1	I	518	Total	C 3965	N 2548	O 639	S 758	20	0	0
1	J	514	Total	C 3936	N 2534	O 635	S 747	20	0	0
1	K	512	Total	C 3912	N 2517	O 629	S 747	19	0	0
1	L	513	Total	C 3878	N 2491	O 625	S 743	19	0	0

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
A	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
A	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
B	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
B	515	GLN	ASN	engineered mutation	UNP A0A0L7M119

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
C	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
C	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
C	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
D	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
D	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
D	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
E	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
E	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
E	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
F	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
F	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
F	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
G	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
G	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
G	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
H	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
H	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
H	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
I	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
I	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
I	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
J	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
J	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
J	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
K	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
K	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
K	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
L	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
L	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
L	546	GLN	ASN	engineered mutation	UNP A0A0L7M119

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	2	Total Zn 2 2	0	0
2	J	2	Total Zn 2 2	0	0
2	D	2	Total Zn 2 2	0	0
2	K	2	Total Zn 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	E	2	Total	Zn	0	0
			2	2		
2	H	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		
2	I	2	Total	Zn	0	0
			2	2		
2	C	2	Total	Zn	0	0
			2	2		
2	A	2	Total	Zn	0	0
			2	2		
2	L	2	Total	Zn	0	0
			2	2		
2	F	2	Total	Zn	0	0
			2	2		

- Molecule 3 is CARBONATE ION (three-letter code: CO3) (formula: CO₃).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C O	0	0
			4	1 3		
3	B	1	Total	C O	0	0
			4	1 3		
3	C	1	Total	C O	0	0
			4	1 3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total C O 4 1 3	0	0
3	E	1	Total C O 4 1 3	0	0
3	F	1	Total C O 4 1 3	0	0
3	G	1	Total C O 4 1 3	0	0
3	H	1	Total C O 4 1 3	0	0
3	I	1	Total C O 4 1 3	0	0
3	J	1	Total C O 4 1 3	0	0
3	K	1	Total C O 4 1 3	0	0
3	L	1	Total C O 4 1 3	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	E	1	Total O S 5 4 1	0	0
4	E	1	Total O S 5 4 1	0	0
4	E	1	Total O S 5 4 1	0	0
4	F	1	Total O S 5 4 1	0	0
4	F	1	Total O S 5 4 1	0	0
4	G	1	Total O S 5 4 1	0	0
4	G	1	Total O S 5 4 1	0	0
4	G	1	Total O S 5 4 1	0	0
4	H	1	Total O S 5 4 1	0	0
4	H	1	Total O S 5 4 1	0	0
4	I	1	Total O S 5 4 1	0	0
4	I	1	Total O S 5 4 1	0	0
4	I	1	Total O S 5 4 1	0	0
4	I	1	Total O S 5 4 1	0	0
4	I	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	J	1	Total O S 5 4 1	0	0
4	J	1	Total O S 5 4 1	0	0
4	J	1	Total O S 5 4 1	0	0
4	K	1	Total O S 5 4 1	0	0
4	L	1	Total O S 5 4 1	0	0

- Molecule 5 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 7 4 3	0	0
5	A	1	Total C O 10 6 4	0	0
5	B	1	Total C O 16 10 6	0	0
5	B	1	Total C O 9 6 3	0	0
5	C	1	Total C O 12 8 4	0	0
5	C	1	Total C O 10 6 4	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	1	Total C O 8 5 3	0	0
5	D	1	Total C O 8 5 3	0	0
5	D	1	Total C O 10 6 4	0	0
5	D	1	Total C O 10 6 4	0	0
5	E	1	Total C O 10 6 4	0	0
5	E	1	Total C O 10 6 4	0	0
5	E	1	Total C O 7 5 2	0	0
5	F	1	Total C O 10 6 4	0	0
5	F	1	Total C O 10 6 4	0	0
5	F	1	Total C O 10 6 4	0	0
5	F	1	Total C O 7 4 3	0	0
5	F	1	Total C O 7 4 3	0	0
5	G	1	Total C O 6 4 2	0	0
5	G	1	Total C O 6 4 2	0	0
5	G	1	Total C O 7 4 3	0	0
5	G	1	Total C O 10 6 4	0	0
5	G	1	Total C O 10 7 3	0	0
5	H	1	Total C O 11 8 3	0	0
5	H	1	Total C O 14 9 5	0	0
5	I	1	Total C O 10 6 4	0	0
5	I	1	Total C O 9 6 3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	I	1	Total C O 5 3 2	0	0
5	J	1	Total C O 11 7 4	0	0
5	J	1	Total C O 10 6 4	0	0
5	J	1	Total C O 9 6 3	0	0
5	J	1	Total C O 7 4 3	0	0
5	K	1	Total C O 10 6 4	0	0
5	K	1	Total C O 6 4 2	0	0
5	K	1	Total C O 10 6 4	0	0
5	L	1	Total C O 10 6 4	0	0
5	L	1	Total C O 10 6 4	0	0
5	L	1	Total C O 7 4 3	0	0
5	L	1	Total C O 9 6 3	0	0

- Molecule 6 is N-[(1R)-2-(hydroxyamino)-2-oxo-1-(3',4',5'-trifluorobiphenyl-4-yl)ethyl]-2,2-di methylpropanamide (three-letter code: 4TL) (formula: C₁₉H₁₉F₃N₂O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
6	A	1	Total 27	19	3	2	3	0	0
6	B	1	Total 27	19	3	2	3	0	0
6	C	1	Total 27	19	3	2	3	0	0
6	D	1	Total 27	19	3	2	3	0	0
6	E	1	Total 27	19	3	2	3	0	0
6	F	1	Total 27	19	3	2	3	0	0
6	G	1	Total 27	19	3	2	3	0	0
6	H	1	Total 27	19	3	2	3	0	0
6	I	1	Total 27	19	3	2	3	0	0
6	J	1	Total 27	19	3	2	3	0	0
6	K	1	Total 27	19	3	2	3	0	0
6	L	1	Total 27	19	3	2	3	0	0

- Molecule 7 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
7	A	1	4	2	1	1	0	0
7	H	1	4	2	1	1	0	0
7	L	1	4	2	1	1	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	O				
8	A	441	441	441			0	0
8	B	330	330	330			0	0
8	C	433	433	433			0	0
8	D	412	412	412			0	0
8	E	457	457	457			0	0
8	F	360	360	360			0	0
8	G	430	430	430			0	0
8	H	351	351	351			0	0
8	I	396	396	396			0	0
8	J	398	398	398			0	0
8	K	414	414	414			0	0
8	L	383	383	383			0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable M17 family aminopeptidase




- Molecule 1: Probable M17 family aminopeptidase



- Molecule 1: Probable M17 family aminopeptidase




- Molecule 1: Probable M17 family aminopeptidase







- Molecule 1: Probable M17 family aminopeptidase




- Molecule 1: Probable M17 family aminopeptidase




- Molecule 1: Probable M17 family aminopeptidase



- Molecule 1: Probable M17 family aminopeptidase



- Molecule 1: Probable M17 family aminopeptidase






- Molecule 1: Probable M17 family aminopeptidase



- Molecule 1: Probable M17 family aminopeptidase



- Molecule 1: Probable M17 family aminopeptidase



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	174.06 Å 177.25 Å 230.77 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.54 – 2.10 48.54 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.6 (48.54-2.10) 86.8 (48.54-2.10)	Depositor EDS
R_{merge}	0.31	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.11 (at 2.10 Å)	Xtriage
Refinement program	PHENIX	Depositor
R , R_{free}	0.194 , 0.239 0.213 , 0.251	Depositor DCC
R_{free} test set	40129 reflections (5.01%)	DCC
Wilson B-factor (Å ²)	19.3	Xtriage
Anisotropy	0.678	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 43.9	EDS
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	5 of 411632 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	52900	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.70 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.2723e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CO3, 1PE, DMS, SO4, 4TL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.23	0/4062	0.40	0/5510
1	B	0.23	0/3998	0.39	0/5432
1	C	0.24	0/4046	0.42	0/5488
1	D	0.23	0/4003	0.40	0/5429
1	E	0.32	1/3993 (0.0%)	0.42	1/5416 (0.0%)
1	F	0.23	0/3946	0.40	0/5363
1	G	0.23	0/4060	0.40	0/5503
1	H	0.24	0/4008	0.40	0/5445
1	I	0.23	0/4043	0.40	0/5486
1	J	0.23	0/4013	0.40	0/5440
1	K	0.23	0/3989	0.39	0/5414
1	L	0.23	0/3955	0.39	0/5377
All	All	0.24	1/48116 (0.0%)	0.40	1/65303 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	205	ARG	NE-CZ	13.02	1.50	1.33

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	205	ARG	CD-NE-CZ	-8.05	112.33	123.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	547	ILE	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3984	0	3909	23	0
1	B	3921	0	3806	15	0
1	C	3968	0	3904	29	0
1	D	3926	0	3860	21	0
1	E	3916	0	3837	21	0
1	F	3870	0	3748	29	0
1	G	3983	0	3923	25	0
1	H	3930	0	3824	28	0
1	I	3965	0	3897	26	0
1	J	3936	0	3874	22	0
1	K	3912	0	3825	19	0
1	L	3878	0	3748	40	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
2	G	2	0	0	0	0
2	H	2	0	0	0	0
2	I	2	0	0	0	0
2	J	2	0	0	0	0
2	K	2	0	0	0	0
2	L	2	0	0	0	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	4	0	0	0	0
3	D	4	0	0	0	0
3	E	4	0	0	0	0
3	F	4	0	0	0	0
3	G	4	0	0	1	0
3	H	4	0	0	0	0
3	I	4	0	0	0	0
3	J	4	0	0	0	0
3	K	4	0	0	0	0
3	L	4	0	0	0	0
4	A	10	0	0	2	0
4	C	25	0	0	1	0
4	D	5	0	0	0	0
4	E	15	0	0	1	0
4	F	10	0	0	0	0
4	G	15	0	0	1	0
4	H	10	0	0	0	0
4	I	25	0	0	1	0
4	J	15	0	0	0	0
4	K	5	0	0	0	0
4	L	5	0	0	0	0
5	A	17	0	20	1	0
5	B	25	0	30	2	0
5	C	22	0	26	3	0
5	D	36	0	41	1	0
5	E	27	0	30	1	0
5	F	44	0	56	12	0
5	G	39	0	43	5	0
5	H	25	0	29	4	0
5	I	24	0	26	3	0
5	J	37	0	44	2	0
5	K	26	0	28	3	0
5	L	36	0	44	12	0
6	A	27	0	0	0	0
6	B	27	0	0	0	0
6	C	27	0	0	0	0
6	D	27	0	0	0	0
6	E	27	0	0	0	0
6	F	27	0	0	0	0
6	G	27	0	0	1	0
6	H	27	0	0	0	0
6	I	27	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	J	27	0	0	0	0
6	K	27	0	0	0	0
6	L	27	0	0	0	0
7	A	4	0	6	0	0
7	H	4	0	6	1	0
7	L	4	0	6	0	0
8	A	441	0	0	4	0
8	B	330	0	0	0	0
8	C	433	0	0	2	0
8	D	412	0	0	3	0
8	E	457	0	0	3	0
8	F	360	0	0	3	0
8	G	430	0	0	3	0
8	H	351	0	0	1	0
8	I	396	0	0	5	0
8	J	398	0	0	4	0
8	K	414	0	0	2	0
8	L	383	0	0	2	0
All	All	52900	0	46590	281	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 281 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:551:VAL:HG11	1:L:557:VAL:HG21	1.52	0.92
1:L:320:LYS:HZ1	5:L:1010:1PE:H231	1.41	0.85
1:H:164:LYS:NZ	1:L:184:SER:OG	2.13	0.82
1:I:436:LYS:NZ	8:I:1101:HOH:O	2.10	0.81
1:L:451:LYS:HG2	5:L:1006:1PE:H131	1.68	0.75

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	517/522 (99%)	504 (98%)	13 (2%)	0	100	100
1	B	513/522 (98%)	500 (98%)	13 (2%)	0	100	100
1	C	516/522 (99%)	501 (97%)	14 (3%)	1 (0%)	52	53
1	D	509/522 (98%)	495 (97%)	14 (3%)	0	100	100
1	E	509/522 (98%)	492 (97%)	15 (3%)	2 (0%)	39	37
1	F	506/522 (97%)	493 (97%)	12 (2%)	1 (0%)	52	53
1	G	514/522 (98%)	496 (96%)	17 (3%)	1 (0%)	52	53
1	H	516/522 (99%)	499 (97%)	17 (3%)	0	100	100
1	I	516/522 (99%)	507 (98%)	9 (2%)	0	100	100
1	J	510/522 (98%)	499 (98%)	11 (2%)	0	100	100
1	K	508/522 (97%)	494 (97%)	14 (3%)	0	100	100
1	L	509/522 (98%)	493 (97%)	16 (3%)	0	100	100
All	All	6143/6264 (98%)	5973 (97%)	165 (3%)	5 (0%)	56	58

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	550	SER
1	C	549	SER
1	E	420	ASN
1	G	550	SER
1	E	551	VAL

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	425/450 (94%)	421 (99%)	4 (1%)	84	89
1	B	412/450 (92%)	410 (100%)	2 (0%)	92	95

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	423/450 (94%)	419 (99%)	4 (1%)	84	89
1	D	417/450 (93%)	415 (100%)	2 (0%)	92	95
1	E	414/450 (92%)	412 (100%)	2 (0%)	92	95
1	F	406/450 (90%)	404 (100%)	2 (0%)	92	95
1	G	427/450 (95%)	424 (99%)	3 (1%)	88	92
1	H	414/450 (92%)	411 (99%)	3 (1%)	88	92
1	I	424/450 (94%)	420 (99%)	4 (1%)	84	89
1	J	417/450 (93%)	415 (100%)	2 (0%)	92	95
1	K	414/450 (92%)	409 (99%)	5 (1%)	78	84
1	L	406/450 (90%)	402 (99%)	4 (1%)	82	87
All	All	4999/5400 (93%)	4962 (99%)	37 (1%)	88	92

5 of 37 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	398	PHE
1	H	398	PHE
1	L	398	PHE
1	G	439	TYR
1	G	560	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	229	ASN
1	H	215	HIS
1	J	161	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 118 ligands modelled in this entry, 24 are monoatomic - leaving 94 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CO3	A	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	A	1004	-	4,4,4	0.24	0	6,6,6	0.08	0
4	SO4	A	1005	-	4,4,4	0.23	0	6,6,6	0.07	0
5	1PE	A	1006	-	6,6,15	0.65	0	5,5,14	0.26	0
5	1PE	A	1007	-	9,9,15	0.69	0	8,8,14	0.28	0
6	4TL	A	1008	2	28,28,28	2.54	5 (17%)	41,41,41	0.98	1 (2%)
7	DMS	A	1009	-	3,3,3	0.60	0	3,3,3	0.48	0
3	CO3	B	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
6	4TL	B	1004	2	28,28,28	2.53	5 (17%)	41,41,41	0.97	0
5	1PE	B	1005	-	15,15,15	0.65	0	14,14,14	0.24	0
5	1PE	B	1006	-	8,8,15	0.64	0	7,7,14	0.17	0
3	CO3	C	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	C	1004	-	4,4,4	0.25	0	6,6,6	0.07	0
4	SO4	C	1005	-	4,4,4	0.25	0	6,6,6	0.07	0
4	SO4	C	1006	-	4,4,4	0.24	0	6,6,6	0.07	0
4	SO4	C	1007	-	4,4,4	0.25	0	6,6,6	0.05	0
4	SO4	C	1008	-	4,4,4	0.27	0	6,6,6	0.09	0
5	1PE	C	1009	-	11,11,15	0.70	0	10,10,14	0.25	0
5	1PE	C	1010	-	9,9,15	0.71	0	8,8,14	0.33	0
6	4TL	C	1011	2	28,28,28	2.57	5 (17%)	41,41,41	0.92	0
3	CO3	D	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	D	1004	-	4,4,4	0.25	0	6,6,6	0.08	0
5	1PE	D	1005	-	7,7,15	0.68	0	6,6,14	0.21	0
5	1PE	D	1006	-	7,7,15	0.64	0	6,6,14	0.22	0
5	1PE	D	1007	-	9,9,15	0.64	0	8,8,14	0.27	0
5	1PE	D	1008	-	9,9,15	0.71	0	8,8,14	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	4TL	D	1009	2	28,28,28	2.58	5 (17%)	41,41,41	0.87	0
3	CO3	E	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	E	1004	-	4,4,4	0.24	0	6,6,6	0.06	0
4	SO4	E	1005	-	4,4,4	0.25	0	6,6,6	0.06	0
4	SO4	E	1006	-	4,4,4	0.24	0	6,6,6	0.07	0
5	1PE	E	1007	-	9,9,15	0.71	0	8,8,14	0.22	0
5	1PE	E	1008	-	9,9,15	0.69	0	8,8,14	0.24	0
6	4TL	E	1009	2	28,28,28	2.53	5 (17%)	41,41,41	0.96	0
5	1PE	E	1010	-	6,6,15	0.62	0	5,5,14	0.26	0
3	CO3	F	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	F	1004	-	4,4,4	0.32	0	6,6,6	0.08	0
4	SO4	F	1005	-	4,4,4	0.24	0	6,6,6	0.05	0
5	1PE	F	1006	-	9,9,15	0.63	0	8,8,14	0.27	0
5	1PE	F	1007	-	9,9,15	0.64	0	8,8,14	0.28	0
5	1PE	F	1008	-	9,9,15	0.64	0	8,8,14	0.26	0
6	4TL	F	1009	2	28,28,28	2.53	5 (17%)	41,41,41	0.98	1 (2%)
5	1PE	F	1010	-	6,6,15	0.57	0	5,5,14	0.36	0
5	1PE	F	1011	-	6,6,15	0.64	0	5,5,14	0.29	0
3	CO3	G	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	G	1004	-	4,4,4	0.25	0	6,6,6	0.06	0
4	SO4	G	1005	-	4,4,4	0.22	0	6,6,6	0.11	0
4	SO4	G	1006	-	4,4,4	0.23	0	6,6,6	0.06	0
5	1PE	G	1007	-	5,5,15	0.62	0	4,4,14	0.40	0
5	1PE	G	1008	-	5,5,15	0.64	0	4,4,14	0.32	0
5	1PE	G	1009	-	6,6,15	0.65	0	5,5,14	0.27	0
6	4TL	G	1010	2	28,28,28	2.54	5 (17%)	41,41,41	0.97	0
5	1PE	G	1011	-	9,9,15	0.62	0	8,8,14	0.28	0
5	1PE	G	1012	-	9,9,15	0.68	0	8,8,14	0.20	0
3	CO3	H	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	H	1004	-	4,4,4	0.25	0	6,6,6	0.05	0
4	SO4	H	1005	-	4,4,4	0.23	0	6,6,6	0.08	0
6	4TL	H	1006	2	28,28,28	2.54	5 (17%)	41,41,41	0.97	0
7	DMS	H	1007	-	3,3,3	0.63	0	3,3,3	0.43	0
5	1PE	H	1008	-	10,10,15	0.72	0	9,9,14	0.27	0
5	1PE	H	1009	-	13,13,15	0.67	0	12,12,14	0.19	0
3	CO3	I	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	I	1004	-	4,4,4	0.26	0	6,6,6	0.10	0
4	SO4	I	1005	-	4,4,4	0.24	0	6,6,6	0.07	0
4	SO4	I	1006	-	4,4,4	0.22	0	6,6,6	0.08	0
4	SO4	I	1007	-	4,4,4	0.29	0	6,6,6	0.06	0
4	SO4	I	1008	-	4,4,4	0.25	0	6,6,6	0.15	0
5	1PE	I	1009	-	9,9,15	0.69	0	8,8,14	0.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	1PE	I	1010	-	8,8,15	0.73	0	7,7,14	0.27	0
5	1PE	I	1011	-	4,4,15	0.61	0	3,3,14	0.19	0
6	4TL	I	1012	2	28,28,28	2.53	5 (17%)	41,41,41	0.91	0
3	CO3	J	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	J	1004	-	4,4,4	0.28	0	6,6,6	0.07	0
4	SO4	J	1005	-	4,4,4	0.24	0	6,6,6	0.07	0
4	SO4	J	1006	-	4,4,4	0.24	0	6,6,6	0.10	0
5	1PE	J	1007	-	10,10,15	0.65	0	9,9,14	0.24	0
5	1PE	J	1008	-	9,9,15	0.64	0	8,8,14	0.24	0
5	1PE	J	1009	-	8,8,15	0.73	0	7,7,14	0.24	0
5	1PE	J	1010	-	6,6,15	0.71	0	5,5,14	0.33	0
6	4TL	J	1011	2	28,28,28	2.57	5 (17%)	41,41,41	0.95	0
3	CO3	K	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	K	1004	-	4,4,4	0.24	0	6,6,6	0.05	0
5	1PE	K	1005	-	9,9,15	0.70	0	8,8,14	0.29	0
5	1PE	K	1006	-	5,5,15	0.61	0	4,4,14	0.18	0
5	1PE	K	1007	-	9,9,15	0.70	0	8,8,14	0.25	0
6	4TL	K	1008	2	28,28,28	2.54	5 (17%)	41,41,41	0.98	0
3	CO3	L	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	SO4	L	1004	-	4,4,4	0.25	0	6,6,6	0.09	0
5	1PE	L	1005	-	9,9,15	0.63	0	8,8,14	0.24	0
5	1PE	L	1006	-	9,9,15	0.70	0	8,8,14	0.25	0
5	1PE	L	1007	-	6,6,15	0.65	0	5,5,14	0.33	0
6	4TL	L	1008	2	28,28,28	2.55	5 (17%)	41,41,41	0.97	1 (2%)
7	DMS	L	1009	-	3,3,3	0.66	0	3,3,3	0.43	0
5	1PE	L	1010	-	8,8,15	0.65	0	7,7,14	0.25	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CO3	A	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	A	1004	-	-	0/0/0/0	0/0/0/0
4	SO4	A	1005	-	-	0/0/0/0	0/0/0/0
5	1PE	A	1006	-	-	0/4/4/13	0/0/0/0
5	1PE	A	1007	-	-	0/7/7/13	0/0/0/0
6	4TL	A	1008	2	-	0/24/24/24	0/2/2/2
7	DMS	A	1009	-	-	0/0/0/0	0/0/0/0
3	CO3	B	1002	-	-	0/0/0/0	0/0/0/0
6	4TL	B	1004	2	-	0/24/24/24	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	1PE	B	1005	-	-	0/13/13/13	0/0/0/0
5	1PE	B	1006	-	-	0/6/6/13	0/0/0/0
3	CO3	C	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	C	1004	-	-	0/0/0/0	0/0/0/0
4	SO4	C	1005	-	-	0/0/0/0	0/0/0/0
4	SO4	C	1006	-	-	0/0/0/0	0/0/0/0
4	SO4	C	1007	-	-	0/0/0/0	0/0/0/0
4	SO4	C	1008	-	-	0/0/0/0	0/0/0/0
5	1PE	C	1009	-	-	0/9/9/13	0/0/0/0
5	1PE	C	1010	-	-	0/7/7/13	0/0/0/0
6	4TL	C	1011	2	-	0/24/24/24	0/2/2/2
3	CO3	D	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	D	1004	-	-	0/0/0/0	0/0/0/0
5	1PE	D	1005	-	-	0/5/5/13	0/0/0/0
5	1PE	D	1006	-	-	0/5/5/13	0/0/0/0
5	1PE	D	1007	-	-	0/7/7/13	0/0/0/0
5	1PE	D	1008	-	-	0/7/7/13	0/0/0/0
6	4TL	D	1009	2	-	0/24/24/24	0/2/2/2
3	CO3	E	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	E	1004	-	-	0/0/0/0	0/0/0/0
4	SO4	E	1005	-	-	0/0/0/0	0/0/0/0
4	SO4	E	1006	-	-	0/0/0/0	0/0/0/0
5	1PE	E	1007	-	-	0/7/7/13	0/0/0/0
5	1PE	E	1008	-	-	0/7/7/13	0/0/0/0
6	4TL	E	1009	2	-	0/24/24/24	0/2/2/2
5	1PE	E	1010	-	-	0/4/4/13	0/0/0/0
3	CO3	F	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	F	1004	-	-	0/0/0/0	0/0/0/0
4	SO4	F	1005	-	-	0/0/0/0	0/0/0/0
5	1PE	F	1006	-	-	0/7/7/13	0/0/0/0
5	1PE	F	1007	-	-	0/7/7/13	0/0/0/0
5	1PE	F	1008	-	-	0/7/7/13	0/0/0/0
6	4TL	F	1009	2	-	0/24/24/24	0/2/2/2
5	1PE	F	1010	-	-	0/4/4/13	0/0/0/0
5	1PE	F	1011	-	-	0/4/4/13	0/0/0/0
3	CO3	G	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	G	1004	-	-	0/0/0/0	0/0/0/0
4	SO4	G	1005	-	-	0/0/0/0	0/0/0/0
4	SO4	G	1006	-	-	0/0/0/0	0/0/0/0
5	1PE	G	1007	-	-	0/3/3/13	0/0/0/0
5	1PE	G	1008	-	-	0/3/3/13	0/0/0/0
5	1PE	G	1009	-	-	0/4/4/13	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	4TL	G	1010	2	-	0/24/24/24	0/2/2/2
5	1PE	G	1011	-	-	0/7/7/13	0/0/0/0
5	1PE	G	1012	-	-	0/7/7/13	0/0/0/0
3	CO3	H	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	H	1004	-	-	0/0/0/0	0/0/0/0
4	SO4	H	1005	-	-	0/0/0/0	0/0/0/0
6	4TL	H	1006	2	-	0/24/24/24	0/2/2/2
7	DMS	H	1007	-	-	0/0/0/0	0/0/0/0
5	1PE	H	1008	-	-	0/8/8/13	0/0/0/0
5	1PE	H	1009	-	-	0/11/11/13	0/0/0/0
3	CO3	I	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	I	1004	-	-	0/0/0/0	0/0/0/0
4	SO4	I	1005	-	-	0/0/0/0	0/0/0/0
4	SO4	I	1006	-	-	0/0/0/0	0/0/0/0
4	SO4	I	1007	-	-	0/0/0/0	0/0/0/0
4	SO4	I	1008	-	-	0/0/0/0	0/0/0/0
5	1PE	I	1009	-	-	0/7/7/13	0/0/0/0
5	1PE	I	1010	-	-	0/6/6/13	0/0/0/0
5	1PE	I	1011	-	-	0/2/2/13	0/0/0/0
6	4TL	I	1012	2	-	0/24/24/24	0/2/2/2
3	CO3	J	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	J	1004	-	-	0/0/0/0	0/0/0/0
4	SO4	J	1005	-	-	0/0/0/0	0/0/0/0
4	SO4	J	1006	-	-	0/0/0/0	0/0/0/0
5	1PE	J	1007	-	-	0/8/8/13	0/0/0/0
5	1PE	J	1008	-	-	0/7/7/13	0/0/0/0
5	1PE	J	1009	-	-	0/6/6/13	0/0/0/0
5	1PE	J	1010	-	-	0/4/4/13	0/0/0/0
6	4TL	J	1011	2	-	0/24/24/24	0/2/2/2
3	CO3	K	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	K	1004	-	-	0/0/0/0	0/0/0/0
5	1PE	K	1005	-	-	0/7/7/13	0/0/0/0
5	1PE	K	1006	-	-	0/3/3/13	0/0/0/0
5	1PE	K	1007	-	-	0/7/7/13	0/0/0/0
6	4TL	K	1008	2	-	0/24/24/24	0/2/2/2
3	CO3	L	1002	-	-	0/0/0/0	0/0/0/0
4	SO4	L	1004	-	-	0/0/0/0	0/0/0/0
5	1PE	L	1005	-	-	0/7/7/13	0/0/0/0
5	1PE	L	1006	-	-	0/7/7/13	0/0/0/0
5	1PE	L	1007	-	-	0/4/4/13	0/0/0/0
6	4TL	L	1008	2	-	0/24/24/24	0/2/2/2
7	DMS	L	1009	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	1PE	L	1010	-	-	0/6/6/13	0/0/0/0

The worst 5 of 60 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	K	1008	4TL	CAN-CAW	-2.68	1.34	1.39
6	B	1004	4TL	CAN-CAW	-2.63	1.34	1.39
6	G	1010	4TL	CAN-CAW	-2.59	1.35	1.39
6	H	1006	4TL	CAN-CAW	-2.58	1.35	1.39
6	I	1012	4TL	CAN-CAW	-2.56	1.35	1.39

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	1008	4TL	O-C-NAP	-2.39	119.69	122.97
6	A	1008	4TL	O-C-NAP	-2.14	120.03	122.97
6	F	1009	4TL	O-C-NAP	-2.13	120.05	122.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

30 monomers are involved in 57 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1004	SO4	2	0
5	A	1007	1PE	1	0
5	B	1005	1PE	2	0
4	C	1008	SO4	1	0
5	C	1010	1PE	3	0
5	D	1008	1PE	1	0
4	E	1004	SO4	1	0
5	E	1010	1PE	1	0
5	F	1006	1PE	1	0
5	F	1007	1PE	7	0
5	F	1008	1PE	4	0
3	G	1002	CO3	1	0
4	G	1004	SO4	1	0
5	G	1009	1PE	2	0
6	G	1010	4TL	1	0
5	G	1011	1PE	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	G	1012	1PE	1	0
7	H	1007	DMS	1	0
5	H	1008	1PE	1	0
5	H	1009	1PE	3	0
4	I	1005	SO4	1	0
5	I	1009	1PE	1	0
5	I	1011	1PE	2	0
5	J	1008	1PE	1	0
5	J	1009	1PE	1	0
5	K	1005	1PE	1	0
5	K	1007	1PE	2	0
5	L	1006	1PE	4	0
5	L	1007	1PE	2	0
5	L	1010	1PE	6	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	519/522 (99%)	-0.44	4 (0%)	87	90	10, 21, 43, 74
1	B	517/522 (99%)	-0.27	7 (1%)	78	82	11, 24, 57, 82
1	C	518/522 (99%)	-0.38	7 (1%)	78	82	11, 22, 49, 87
1	D	513/522 (98%)	-0.59	1 (0%)	95	96	9, 20, 42, 76
1	E	513/522 (98%)	-0.55	6 (1%)	81	85	12, 20, 38, 82
1	F	512/522 (98%)	-0.32	7 (1%)	78	82	12, 25, 50, 77
1	G	518/522 (99%)	-0.43	6 (1%)	81	85	10, 20, 41, 73
1	H	518/522 (99%)	-0.23	6 (1%)	81	85	12, 25, 60, 84
1	I	518/522 (99%)	-0.40	4 (0%)	87	90	10, 23, 49, 98
1	J	514/522 (98%)	-0.55	5 (0%)	84	87	12, 21, 43, 85
1	K	512/522 (98%)	-0.54	4 (0%)	87	90	12, 21, 39, 79
1	L	513/522 (98%)	-0.40	6 (1%)	81	85	13, 23, 49, 104
All	All	6185/6264 (98%)	-0.42	63 (1%)	84	87	9, 22, 49, 104
							2 (0%)

The worst 5 of 63 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	256	ASP	6.3
1	C	603	ASP	5.9
1	L	136	GLY	5.0
1	K	256	ASP	4.6
1	F	551	VAL	4.6

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	1PE	G	1012	10/16	0.83	0.16	23.50	50,52,59,61	0
4	SO4	G	1006	5/5	0.89	0.31	12.65	64,68,70,72	0
4	SO4	H	1005	5/5	0.92	0.25	12.20	78,79,80,83	0
4	SO4	I	1008	5/5	0.78	0.23	9.30	94,95,98,98	0
4	SO4	E	1006	5/5	0.90	0.19	8.07	57,61,63,64	0
4	SO4	F	1005	5/5	0.90	0.27	7.84	74,75,77,81	0
5	1PE	L	1007	7/16	0.86	0.16	7.30	46,47,47,50	0
4	SO4	I	1007	5/5	0.94	0.21	7.00	67,68,69,74	0
5	1PE	I	1011	5/16	0.84	0.15	6.47	28,31,33,33	0
5	1PE	L	1006	10/16	0.84	0.16	5.71	42,55,62,63	0
5	1PE	E	1010	7/16	0.84	0.12	5.62	39,41,43,44	0
4	SO4	A	1005	5/5	0.84	0.21	5.19	75,78,80,82	0
4	SO4	C	1007	5/5	0.93	0.19	4.94	64,70,74,75	0
5	1PE	D	1007	10/16	0.72	0.20	4.80	54,56,65,66	0
4	SO4	J	1006	5/5	0.93	0.19	4.74	56,57,60,66	0
7	DMS	L	1009	4/4	0.87	0.20	4.50	30,36,50,55	0
5	1PE	G	1007	6/16	0.91	0.18	4.36	34,37,40,48	0
5	1PE	C	1009	12/16	0.91	0.14	4.19	32,37,46,48	0
5	1PE	K	1006	6/16	0.87	0.11	4.08	38,40,42,43	0
5	1PE	G	1011	10/16	0.92	0.15	4.02	29,33,46,51	0
7	DMS	H	1007	4/4	0.93	0.16	3.83	19,57,68,69	0
4	SO4	I	1006	5/5	0.94	0.14	3.65	55,59,63,65	0
5	1PE	F	1011	7/16	0.86	0.17	3.55	39,41,45,46	0
4	SO4	E	1004	5/5	0.79	0.24	3.33	123,124,124,124	0
5	1PE	J	1010	7/16	0.92	0.12	3.31	36,41,45,45	0
5	1PE	F	1010	7/16	0.89	0.16	3.17	43,44,45,48	0
4	SO4	C	1005	5/5	0.88	0.20	3.12	108,109,110,111	0
5	1PE	A	1007	10/16	0.93	0.16	2.86	30,34,39,43	0
5	1PE	H	1008	11/16	0.88	0.18	2.85	30,37,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å²)	Q<0.9
5	1PE	F	1008	10/16	0.80	0.16	2.66	41,54,61,63	0
5	1PE	B	1006	9/16	0.86	0.18	2.35	41,44,55,56	0
5	1PE	G	1008	6/16	0.89	0.12	1.90	31,34,37,42	0
5	1PE	D	1005	8/16	0.86	0.13	1.77	31,35,44,44	0
5	1PE	D	1006	8/16	0.83	0.15	1.77	53,57,62,63	0
5	1PE	K	1005	10/16	0.93	0.11	1.66	21,32,53,55	0
4	SO4	G	1005	5/5	0.90	0.15	1.45	54,59,63,69	0
5	1PE	J	1009	9/16	0.65	0.20	1.42	52,62,63,64	0
3	CO3	D	1002	4/4	0.98	0.09	1.22	11,14,14,17	0
6	4TL	H	1006	27/27	0.96	0.10	1.14	11,18,28,34	0
7	DMS	A	1009	4/4	0.93	0.14	0.91	16,29,47,49	0
5	1PE	F	1006	10/16	0.89	0.11	0.70	38,41,46,51	0
3	CO3	L	1002	4/4	0.98	0.11	0.66	12,14,15,17	0
5	1PE	L	1005	10/16	0.95	0.11	0.65	23,36,46,51	0
4	SO4	I	1005	5/5	0.85	0.12	0.64	89,91,92,92	0
6	4TL	B	1004	27/27	0.96	0.10	0.62	13,18,27,31	0
3	CO3	F	1002	4/4	0.99	0.10	0.54	18,19,19,20	0
6	4TL	D	1009	27/27	0.96	0.09	0.44	12,20,29,30	0
5	1PE	I	1010	9/16	0.92	0.11	0.34	23,29,41,45	0
6	4TL	F	1009	27/27	0.95	0.10	0.30	12,19,28,30	0
6	4TL	I	1012	27/27	0.95	0.11	0.29	17,20,26,31	0
5	1PE	E	1008	10/16	0.94	0.10	0.26	23,27,44,45	0
2	ZN	I	1001	1/1	1.00	0.09	0.16	16,16,16,16	0
3	CO3	E	1002	4/4	0.99	0.10	0.07	16,19,22,24	0
6	4TL	G	1010	27/27	0.95	0.11	0.05	11,19,27,28	0
6	4TL	K	1008	27/27	0.96	0.10	-0.04	13,19,27,29	0
6	4TL	L	1008	27/27	0.95	0.10	-0.06	11,19,26,27	0
6	4TL	A	1008	27/27	0.97	0.10	-0.11	9,18,25,29	0
2	ZN	F	1003	1/1	1.00	0.09	-0.14	19,19,19,19	0
6	4TL	C	1011	27/27	0.97	0.09	-0.14	12,17,26,28	0
6	4TL	E	1009	27/27	0.95	0.10	-0.25	10,20,26,31	0
2	ZN	C	1001	1/1	1.00	0.08	-0.25	16,16,16,16	0
2	ZN	F	1001	1/1	0.99	0.08	-0.34	20,20,20,20	0
2	ZN	A	1003	1/1	1.00	0.09	-0.46	15,15,15,15	0
5	1PE	J	1007	11/16	0.94	0.09	-0.48	27,34,48,51	0
3	CO3	B	1002	4/4	0.98	0.07	-0.53	12,14,16,18	0
6	4TL	J	1011	27/27	0.96	0.08	-0.59	9,21,27,29	0
2	ZN	G	1003	1/1	1.00	0.09	-0.65	16,16,16,16	0
2	ZN	E	1003	1/1	1.00	0.08	-0.72	18,18,18,18	0
4	SO4	H	1004	5/5	0.99	0.07	-0.83	16,16,20,21	0
2	ZN	G	1001	1/1	1.00	0.09	-0.84	15,15,15,15	0
3	CO3	G	1002	4/4	0.98	0.08	-0.91	18,18,20,23	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	ZN	J	1003	1/1	1.00	0.07	-0.94	17,17,17,17	0
2	ZN	K	1001	1/1	1.00	0.08	-0.95	19,19,19,19	0
4	SO4	C	1004	5/5	0.99	0.07	-1.00	14,16,20,20	0
2	ZN	D	1001	1/1	0.99	0.06	-1.13	17,17,17,17	0
2	ZN	A	1001	1/1	1.00	0.08	-1.18	18,18,18,18	0
4	SO4	F	1004	5/5	0.99	0.07	-1.20	16,16,18,19	0
3	CO3	H	1002	4/4	0.99	0.06	-1.25	14,15,16,16	0
2	ZN	E	1001	1/1	1.00	0.07	-1.36	17,17,17,17	0
2	ZN	L	1001	1/1	1.00	0.07	-1.37	17,17,17,17	0
2	ZN	L	1003	1/1	1.00	0.07	-1.41	17,17,17,17	0
2	ZN	C	1003	1/1	1.00	0.06	-1.42	14,14,14,14	0
2	ZN	D	1003	1/1	1.00	0.07	-1.51	16,16,16,16	0
3	CO3	A	1002	4/4	0.97	0.09	-1.58	14,15,16,17	0
2	ZN	B	1003	1/1	0.99	0.06	-1.84	15,15,15,15	0
2	ZN	H	1003	1/1	1.00	0.06	-1.87	17,17,17,17	0
3	CO3	J	1002	4/4	0.98	0.07	-1.87	12,15,16,18	0
4	SO4	J	1004	5/5	0.99	0.05	-1.95	10,15,19,20	0
2	ZN	I	1003	1/1	0.99	0.07	-1.98	18,18,18,18	0
2	ZN	J	1001	1/1	1.00	0.07	-2.40	17,17,17,17	0
3	CO3	C	1002	4/4	0.99	0.06	-2.60	13,15,19,19	0
2	ZN	H	1001	1/1	1.00	0.05	-2.68	18,18,18,18	0
2	ZN	K	1003	1/1	1.00	0.07	-2.95	16,16,16,16	0
3	CO3	I	1002	4/4	0.99	0.06	-3.05	15,16,20,22	0
2	ZN	B	1001	1/1	1.00	0.05	-3.73	17,17,17,17	0
3	CO3	K	1002	4/4	0.99	0.05	-3.86	15,17,17,19	0
5	1PE	B	1005	16/16	0.71	0.21	-	55,58,64,67	0
5	1PE	J	1008	10/16	0.80	0.16	-	45,49,59,60	0
4	SO4	C	1006	5/5	0.81	0.29	-	102,102,104,106	0
4	SO4	L	1004	5/5	0.96	0.15	-	58,62,62,64	0
5	1PE	H	1009	14/16	0.74	0.20	-	43,55,69,69	0
4	SO4	J	1005	5/5	0.93	0.24	-	88,90,91,93	0
4	SO4	G	1004	5/5	0.96	0.17	-	64,65,66,67	0
5	1PE	I	1009	10/16	0.83	0.12	-	38,41,45,46	0
5	1PE	F	1007	10/16	0.84	0.15	-	52,55,58,61	0
4	SO4	D	1004	5/5	0.92	0.21	-	78,78,80,81	0
5	1PE	C	1010	10/16	0.90	0.10	-	42,46,53,53	0
4	SO4	E	1005	5/5	0.97	0.13	-	61,64,67,67	0
4	SO4	A	1004	5/5	0.97	0.14	-	58,59,60,62	0
5	1PE	G	1009	7/16	0.94	0.09	-	41,44,48,52	0
5	1PE	L	1010	9/16	0.74	0.18	-	46,50,58,58	0
4	SO4	K	1004	5/5	0.93	0.22	-	63,66,70,70	0
5	1PE	K	1007	10/16	0.77	0.17	-	38,60,64,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	SO4	C	1008	5/5	0.93	0.19	-	58,60,63,66	0
4	SO4	I	1004	5/5	0.93	0.22	-	72,73,76,78	0
5	1PE	E	1007	10/16	0.83	0.14	-	39,43,46,48	0
5	1PE	A	1006	7/16	0.91	0.12	-	47,49,51,52	0
5	1PE	D	1008	10/16	0.76	0.17	-	45,48,60,60	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.