



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:01 PM GMT

PDB ID : 4UNY
Title : Structure of the A_Equine_Newmarket_2_93 H3 haemagglutinin in complex with 6SO4-3SLN
Authors : Vachieri, S.G.; Collins, P.J.; Haire, L.F.; Ogrodowicz, R.W.; Martin, S.R.; Walker, P.A.; Xiong, X.; Gamblin, S.J.; Skehel, J.J.
Deposited on : 2014-05-31
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1451 (2.90-2.90)
Clashscore	102246	1668 (2.90-2.90)
Ramachandran outliers	100387	1630 (2.90-2.90)
Sidechain outliers	100360	1632 (2.90-2.90)
RSRZ outliers	91569	1456 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	330	<div> <div>91%</div> <div>5% .</div> </div>
1	C	330	<div> <div>95%</div> <div>5%</div> </div>
1	E	330	<div> <div>3%</div> <div>91%</div> <div>6% .</div> </div>
2	B	173	<div> <div>%</div> <div>92%</div> <div>7% ..</div> </div>
2	D	173	<div> <div>%</div> <div>91%</div> <div>7% ...</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	173	 % 94% 5% ...

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	F	201	-	-	-	X
4	NAG	C	432	-	-	-	X
4	NAG	E	432	-	-	-	X
5	NAG	A	441	-	-	-	X
5	NAG	C	422	X	-	-	-
5	NAG	C	601	X	-	-	-
5	NAG	E	441	-	-	-	X
5	NAG	E	601	X	-	-	-
5	NAG	E	602	X	-	-	-
6	NGS	E	703	X	-	-	-
8	FUC	C	450	X	-	-	-
9	NAG	D	201	-	-	-	X
9	FUC	D	202	X	-	-	X

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 12496 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HAY SUBUNIT OF HAEMAGGLUTININ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	317	Total	C	N	O	S	0	0	0
			2463	1540	433	476	14			
1	C	330	Total	C	N	O	S	0	0	0
			2564	1599	454	497	14			
1	E	321	Total	C	N	O	S	0	0	0
			2473	1545	436	478	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	PRO	-	EXPRESSION TAG	UNP Q82847
A	1	ASP	-	EXPRESSION TAG	UNP Q82847
C	0	PRO	-	EXPRESSION TAG	UNP Q82847
C	1	ASP	-	EXPRESSION TAG	UNP Q82847
E	0	PRO	-	EXPRESSION TAG	UNP Q82847
E	1	ASP	-	EXPRESSION TAG	UNP Q82847

- Molecule 2 is a protein called H3 HAEMAGGLUTININ HA2 CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	173	Total	C	N	O	S	0	0	0
			1404	876	246	276	6			
2	D	172	Total	C	N	O	S	0	0	0
			1396	870	245	275	6			
2	F	172	Total	C	N	O	S	0	0	0
			1388	864	243	275	6			

- Molecule 3 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	F	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is a polymer of unknown type called SUGAR (4-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	4	Total	C	N	O	0	0
			50	28	2	20		
4	C	4	Total	C	N	O	0	0
			50	28	2	20		
4	E	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 5 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	C	2	Total	C	N	O	0	0
			28	16	2	10		
5	C	2	Total	C	N	O	0	0
			28	16	2	10		
5	C	2	Total	C	N	O	0	0
			28	16	2	10		
5	E	2	Total	C	N	O	0	0
			28	16	2	10		
5	E	2	Total	C	N	O	0	0
			28	16	2	10		
5	E	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	3	Total	C	N	O	S	0	0
			50	25	2	22	1		
6	C	3	Total	C	N	O	S	0	0
			50	25	2	22	1		
6	E	3	Total	C	N	O	S	0	0
			50	25	2	22	1		

- Molecule 7 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	C	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 8 is a polymer of unknown type called SUGAR (6-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	C	6	Total	C	N	O	0	0
			71	40	2	29		

- Molecule 9 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	D	2	Total	C	N	O	0	0
			24	14	1	9		

- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	28	Total 28	O 28	0	0
10	B	18	Total 18	O 18	0	0
10	C	35	Total 35	O 35	0	0
10	D	13	Total 13	O 13	0	0
10	E	10	Total 10	O 10	0	0
10	F	4	Total 4	O 4	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HAY SUBUNIT OF HAEMAGGLUTININ

Chain A: 





- Molecule 1: HAY SUBUNIT OF HAEMAGGLUTININ

Chain C: 




- Molecule 1: HAY SUBUNIT OF HAEMAGGLUTININ

Chain E: 




- Molecule 2: H3 HAEMAGGLUTININ HA2 CHAIN

Chain B: 




- Molecule 2: H3 HAEMAGGLUTININ HA2 CHAIN

Chain D: 



- Molecule 2: H3 HAEMAGGLUTININ HA2 CHAIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	98.85Å 124.87Å 163.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	99.27 – 2.90 47.76 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.8 (99.27-2.90) 99.9 (47.76-2.90)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.71 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.8.0069	Depositor
R, R_{free}	0.191 , 0.237 0.195 , 0.235	Depositor DCC
R_{free} test set	2299 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	62.1	Xtriage
Anisotropy	0.496	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 43.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 45524 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12496	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, SIA, GAL, FUC, NGS, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/2516	0.51	0/3419
1	C	0.29	0/2619	0.52	0/3558
1	E	0.29	0/2526	0.49	0/3438
2	B	0.31	0/1429	0.53	1/1921 (0.1%)
2	D	0.31	0/1421	0.51	1/1910 (0.1%)
2	F	0.32	0/1413	0.51	1/1902 (0.1%)
All	All	0.30	0/11924	0.51	3/16148 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	C	2	0
5	E	2	0
6	E	1	0
8	C	1	0
9	D	1	0
All	All	7	0

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	110	LEU	CA-CB-CG	6.36	129.92	115.30
2	D	110	LEU	CA-CB-CG	6.21	129.59	115.30
2	F	110	LEU	CA-CB-CG	5.45	127.84	115.30

All (7) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	C	422	NAG	C1
8	C	450	FUC	C1
5	C	601	NAG	C1
9	D	202	FUC	C1
5	E	601	NAG	C1
5	E	602	NAG	C1
6	E	703	NGS	C1

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2463	0	2398	7	0
1	C	2564	0	2497	7	0
1	E	2473	0	2383	8	0
2	B	1404	0	1328	9	0
2	D	1396	0	1317	7	0
2	F	1388	0	1295	8	0
3	A	28	0	26	0	0
3	B	14	0	13	0	0
3	E	14	0	13	0	0
3	F	14	0	13	0	0
4	A	50	0	43	0	0
4	C	50	0	43	0	0
4	E	50	0	43	0	0
5	A	28	0	25	1	0
5	C	84	0	75	0	0
5	E	84	0	75	3	0
6	A	50	0	40	0	0
6	C	50	0	40	0	0
6	E	50	0	39	1	0
7	C	39	0	34	0	0
8	C	71	0	61	0	0
9	D	24	0	22	0	0
10	A	28	0	0	0	0
10	B	18	0	0	1	0
10	C	35	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	D	13	0	0	0	0
10	E	10	0	0	0	0
10	F	4	0	0	0	0
All	All	12496	0	11823	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:107:THR:HA	2:D:110:LEU:HD13	1.79	0.63
2:B:76:ARG:NE	2:F:77:ILE:HD11	2.18	0.59
6:E:703:NGS:O1	6:E:703:NGS:HH3B	2.04	0.57
1:A:216:ASN:OD1	1:E:212:THR:HG21	2.05	0.56
1:E:190:GLU:O	1:E:194:LEU:HD12	2.04	0.56
5:E:601:NAG:H3	5:E:601:NAG:C8	2.35	0.56
1:A:283:THR:HG22	1:A:301:THR:HG22	1.86	0.56
1:C:15:LEU:HD22	2:D:119:PHE:HA	1.88	0.55
2:B:77:ILE:HD11	2:D:76:ARG:CZ	2.37	0.55
1:A:86:LEU:HD23	1:A:88:ILE:HD11	1.88	0.54
1:E:126:THR:HG22	1:E:128:THR:HG23	1.90	0.54
1:A:160:SER:HA	1:A:196:ILE:HG13	1.90	0.54
2:B:77:ILE:HD11	2:D:76:ARG:NE	2.23	0.53
1:A:216:ASN:CG	1:E:212:THR:HG21	2.29	0.53
2:B:107:THR:HA	2:B:110:LEU:HD13	1.92	0.52
2:F:77:ILE:HD12	2:F:77:ILE:O	2.10	0.52
2:F:27:GLN:CB	2:F:32:THR:HG22	2.40	0.51
2:B:34:GLN:NE2	10:B:2001:HOH:O	2.43	0.51
2:B:158:ASP:HB3	2:B:161:ILE:HD12	1.93	0.50
1:C:29:ILE:HD11	2:D:102:LEU:HD23	1.94	0.50
2:F:107:THR:HA	2:F:110:LEU:HD12	1.93	0.49
2:D:56:ILE:HG22	2:D:57:GLU:HG2	1.96	0.47
2:F:110:LEU:HD22	2:F:110:LEU:C	2.35	0.46
1:E:180:TRP:CE2	1:E:204:VAL:HG21	2.52	0.44
2:D:54:ARG:NH2	2:D:103:GLU:OE2	2.49	0.44
2:F:172:GLN:N	2:F:172:GLN:OE1	2.51	0.43
1:A:285:ASN:HD22	5:A:441:NAG:H83	1.83	0.43
1:C:27:LYS:HG2	1:C:32:ASP:O	2.18	0.43
2:B:73:VAL:HG11	1:E:111:ILE:HG23	2.00	0.43
1:E:222:TRP:CE3	1:E:225:GLY:HA2	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:182:ILE:HD11	1:C:215:PRO:HD3	2.01	0.43
1:C:22:ASN:N	1:C:22:ASN:OD1	2.52	0.42
2:F:27:GLN:HB3	2:F:32:THR:HG22	1.99	0.42
1:C:37:THR:O	1:C:38:ASN:HB3	2.20	0.42
5:E:602:NAG:H3	5:E:602:NAG:H83	2.02	0.42
2:B:60:ASN:HD22	2:B:60:ASN:HA	1.72	0.41
1:E:97:CYS:SG	1:E:98:TYR:N	2.90	0.41
1:C:15:LEU:HD12	1:C:15:LEU:N	2.35	0.41
2:B:172:GLN:HB3	2:B:173:ILE:HD12	2.01	0.41
5:E:601:NAG:H83	5:E:601:NAG:H3	2.01	0.41
1:A:201:ARG:NH2	1:A:246:ASN:OD1	2.53	0.40
2:F:158:ASP:HB3	2:F:161:ILE:HD12	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	315/330 (96%)	300 (95%)	15 (5%)	0	100	100
1	C	328/330 (99%)	312 (95%)	16 (5%)	0	100	100
1	E	319/330 (97%)	296 (93%)	22 (7%)	1 (0%)	46	79
2	B	171/173 (99%)	163 (95%)	8 (5%)	0	100	100
2	D	170/173 (98%)	163 (96%)	7 (4%)	0	100	100
2	F	170/173 (98%)	163 (96%)	7 (4%)	0	100	100
All	All	1473/1509 (98%)	1397 (95%)	75 (5%)	1 (0%)	56	87

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	62	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	277/290 (96%)	271 (98%)	6 (2%)	60	88
1	C	289/290 (100%)	280 (97%)	9 (3%)	47	82
1	E	275/290 (95%)	267 (97%)	8 (3%)	50	83
2	B	145/145 (100%)	140 (97%)	5 (3%)	44	79
2	D	144/145 (99%)	137 (95%)	7 (5%)	31	67
2	F	142/145 (98%)	138 (97%)	4 (3%)	51	84
All	All	1272/1305 (98%)	1233 (97%)	39 (3%)	47	82

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	24	THR
1	A	53	ASN
1	A	131	THR
1	A	167	THR
1	A	310	ARG
2	B	12	ASN
2	B	38	LEU
2	B	52	LEU
2	B	77	ILE
2	B	110	LEU
1	C	1	ASP
1	C	2	GLN
1	C	8	ASN
1	C	18	HIS
1	C	38	ASN
1	C	82	GLU
1	C	222	TRP
1	C	273	LEU
1	C	310	ARG
2	D	12	ASN
2	D	38	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	52	LEU
2	D	54	ARG
2	D	110	LEU
2	D	171	PHE
2	D	172	GLN
1	E	18	HIS
1	E	24	THR
1	E	31	ASP
1	E	47	SER
1	E	201	ARG
1	E	246	ASN
1	E	310	ARG
1	E	326	LYS
2	F	12	ASN
2	F	38	LEU
2	F	77	ILE
2	F	110	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	ASN
1	A	211	GLN
2	B	12	ASN
1	C	54	ASN
2	D	12	ASN
1	E	211	GLN
2	F	47	GLN
2	F	53	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

46 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	NAG	A	431	1,4	14,14,15	0.46	0	15,19,21	0.90	0
4	NAG	A	432	4	14,14,15	0.44	0	15,19,21	0.93	0
4	BMA	A	433	4	11,11,12	0.53	0	14,15,17	1.61	2 (14%)
4	MAN	A	437	4	11,11,12	0.55	0	14,15,17	1.21	3 (21%)
5	NAG	A	441	1,5	14,14,15	0.56	0	15,19,21	1.61	3 (20%)
5	NAG	A	442	5	14,14,15	0.53	0	15,19,21	0.94	0
6	SIA	A	701	6	16,20,21	0.32	0	18,28,31	1.18	2 (11%)
6	GAL	A	702	6	11,11,12	0.57	0	14,15,17	1.22	1 (7%)
6	NGS	A	703	6	19,19,19	0.81	1 (5%)	22,28,28	2.60	3 (13%)
5	NAG	C	411	1,5	14,14,15	0.48	0	15,19,21	1.21	2 (13%)
5	NAG	C	412	5	14,14,15	0.48	0	15,19,21	1.50	2 (13%)
5	NAG	C	421	1,5	14,14,15	0.46	0	15,19,21	1.94	3 (20%)
5	NAG	C	422	5	14,14,15	0.46	0	15,19,21	1.79	4 (26%)
4	NAG	C	431	1,4	14,14,15	0.59	0	15,19,21	0.93	1 (6%)
4	NAG	C	432	4	14,14,15	0.45	0	15,19,21	0.76	0
4	BMA	C	433	4	11,11,12	0.35	0	14,15,17	0.77	0
4	MAN	C	437	4	11,11,12	0.54	0	14,15,17	1.47	2 (14%)
7	NAG	C	441	1,7	14,14,15	0.58	0	15,19,21	1.06	1 (6%)
7	NAG	C	442	7	14,14,15	0.53	0	15,19,21	0.82	0
7	BMA	C	443	7	11,11,12	0.41	0	14,15,17	1.23	2 (14%)
8	FUC	C	450	8	10,10,11	0.72	0	14,14,16	1.36	1 (7%)
8	NAG	C	451	1,8	14,14,15	0.61	0	15,19,21	0.89	1 (6%)
8	NAG	C	452	8	14,14,15	0.37	0	15,19,21	1.46	2 (13%)
8	BMA	C	453	8	11,11,12	0.75	0	14,15,17	1.79	2 (14%)
8	MAN	C	454	8	11,11,12	0.61	0	14,15,17	1.68	2 (14%)
8	MAN	C	457	8	11,11,12	0.52	0	14,15,17	1.20	1 (7%)
5	NAG	C	601	1,5	14,14,15	0.62	0	15,19,21	1.00	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	C	602	5	14,14,15	0.55	0	15,19,21	0.91	0
6	SIA	C	701	6	16,20,21	0.24	0	18,28,31	1.12	2 (11%)
6	GAL	C	702	6	11,11,12	0.59	0	14,15,17	0.92	1 (7%)
6	NGS	C	703	6	19,19,19	0.75	1 (5%)	22,28,28	1.11	1 (4%)
9	NAG	D	201	9,2	14,14,15	0.58	0	15,19,21	1.98	1 (6%)
9	FUC	D	202	9	10,10,11	0.56	0	14,14,16	2.71	6 (42%)
5	NAG	E	411	1,5	14,14,15	0.44	0	15,19,21	0.80	0
5	NAG	E	412	5	14,14,15	0.49	0	15,19,21	0.92	0
4	NAG	E	431	1,4	14,14,15	0.47	0	15,19,21	0.92	1 (6%)
4	NAG	E	432	4	14,14,15	0.38	0	15,19,21	1.09	1 (6%)
4	BMA	E	433	4	11,11,12	0.38	0	14,15,17	0.75	0
4	MAN	E	437	4	11,11,12	0.67	0	14,15,17	1.96	3 (21%)
5	NAG	E	441	1,5	14,14,15	0.59	0	15,19,21	1.62	3 (20%)
5	NAG	E	442	5	14,14,15	0.54	0	15,19,21	0.88	0
5	NAG	E	601	1,5	14,14,15	0.52	0	15,19,21	3.03	6 (40%)
5	NAG	E	602	5	14,14,15	0.74	0	15,19,21	2.21	5 (33%)
6	SIA	E	701	6	16,20,21	0.29	0	18,28,31	1.06	1 (5%)
6	GAL	E	702	6	11,11,12	0.70	0	14,15,17	1.09	1 (7%)
6	NGS	E	703	6	19,19,19	0.85	1 (5%)	22,28,28	1.41	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	431	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	432	4	-	0/6/23/26	0/1/1/1
4	BMA	A	433	4	-	0/2/19/22	0/1/1/1
4	MAN	A	437	4	-	0/2/19/22	0/1/1/1
5	NAG	A	441	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	442	5	-	0/6/23/26	0/1/1/1
6	SIA	A	701	6	-	0/14/34/38	0/1/1/1
6	GAL	A	702	6	-	0/2/19/22	0/1/1/1
6	NGS	A	703	6	-	0/10/30/30	0/1/1/1
5	NAG	C	411	1,5	-	0/6/23/26	0/1/1/1
5	NAG	C	412	5	-	0/6/23/26	0/1/1/1
5	NAG	C	421	1,5	-	0/6/23/26	0/1/1/1
5	NAG	C	422	5	1/1/5/7	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	431	1,4	-	0/6/23/26	0/1/1/1
4	NAG	C	432	4	-	0/6/23/26	0/1/1/1
4	BMA	C	433	4	-	0/2/19/22	0/1/1/1
4	MAN	C	437	4	-	0/2/19/22	0/1/1/1
7	NAG	C	441	1,7	-	0/6/23/26	0/1/1/1
7	NAG	C	442	7	-	0/6/23/26	0/1/1/1
7	BMA	C	443	7	-	0/2/19/22	0/1/1/1
8	FUC	C	450	8	1/1/4/5	0/0/17/20	0/1/1/1
8	NAG	C	451	1,8	-	0/6/23/26	0/1/1/1
8	NAG	C	452	8	-	0/6/23/26	0/1/1/1
8	BMA	C	453	8	-	0/2/19/22	0/1/1/1
8	MAN	C	454	8	-	0/2/19/22	0/1/1/1
8	MAN	C	457	8	-	0/2/19/22	1/1/1/1
5	NAG	C	601	1,5	1/1/5/7	0/6/23/26	0/1/1/1
5	NAG	C	602	5	-	0/6/23/26	0/1/1/1
6	SIA	C	701	6	-	0/14/34/38	0/1/1/1
6	GAL	C	702	6	-	0/2/19/22	0/1/1/1
6	NGS	C	703	6	-	0/10/30/30	0/1/1/1
9	NAG	D	201	9,2	-	0/6/23/26	0/1/1/1
9	FUC	D	202	9	1/1/4/5	0/0/17/20	0/1/1/1
5	NAG	E	411	1,5	-	0/6/23/26	0/1/1/1
5	NAG	E	412	5	-	0/6/23/26	0/1/1/1
4	NAG	E	431	1,4	-	0/6/23/26	0/1/1/1
4	NAG	E	432	4	-	0/6/23/26	0/1/1/1
4	BMA	E	433	4	-	0/2/19/22	0/1/1/1
4	MAN	E	437	4	-	0/2/19/22	0/1/1/1
5	NAG	E	441	1,5	-	0/6/23/26	0/1/1/1
5	NAG	E	442	5	-	0/6/23/26	0/1/1/1
5	NAG	E	601	1,5	1/1/5/7	0/6/23/26	0/1/1/1
5	NAG	E	602	5	1/1/5/7	0/6/23/26	0/1/1/1
6	SIA	E	701	6	-	0/14/34/38	0/1/1/1
6	GAL	E	702	6	-	0/2/19/22	0/1/1/1
6	NGS	E	703	6	1/1/7/8	0/10/30/30	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	703	NGS	O8-S	2.60	1.64	1.50
6	A	703	NGS	O8-S	2.62	1.64	1.50
6	E	703	NGS	O8-S	2.63	1.64	1.50

All (76) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	703	NGS	O1-C1-O5	-10.63	81.17	110.25
5	C	421	NAG	C4-C3-C2	-3.65	105.56	111.23
8	C	452	NAG	C4-C3-C2	-3.34	106.03	111.23
5	E	601	NAG	O7-C7-C8	-3.07	116.42	122.06
8	C	450	FUC	C1-C2-C3	-2.87	106.14	109.54
5	E	441	NAG	O7-C7-C8	-2.65	117.20	122.06
5	E	602	NAG	O7-C7-C8	-2.45	117.57	122.06
5	A	441	NAG	O7-C7-C8	-2.41	117.64	122.06
4	A	437	MAN	O5-C1-C2	-2.35	107.05	110.86
6	A	703	NGS	O4-C4-C3	-2.24	105.30	110.34
8	C	452	NAG	C3-C4-C5	-2.21	106.34	110.20
5	C	422	NAG	O7-C7-C8	-2.01	118.38	122.06
4	E	437	MAN	C3-C4-C5	2.12	113.90	110.20
5	C	411	NAG	C3-C2-N2	2.13	115.66	110.56
9	D	202	FUC	O5-C5-C6	2.17	109.72	106.13
6	C	701	SIA	C11-C10-N5	2.22	120.36	116.11
4	A	433	BMA	C1-O5-C5	2.25	115.10	112.25
6	A	701	SIA	C11-C10-N5	2.27	120.45	116.11
5	C	601	NAG	O5-C5-C6	2.27	112.27	107.35
8	C	451	NAG	C1-O5-C5	2.28	115.14	112.25
6	C	702	GAL	C1-C2-C3	2.30	112.26	109.54
4	C	437	MAN	C3-C4-C5	2.30	114.20	110.20
6	E	702	GAL	C1-C2-C3	2.34	112.31	109.54
5	C	422	NAG	C8-C7-N2	2.38	120.67	116.11
9	D	202	FUC	C3-C4-C5	2.39	113.74	109.72
7	C	443	BMA	C1-C2-C3	2.40	112.38	109.54
6	C	701	SIA	O6-C6-C5	2.40	112.41	108.48
4	A	437	MAN	C3-C4-C5	2.42	114.42	110.20
4	A	437	MAN	C1-O5-C5	2.44	115.34	112.25
7	C	441	NAG	C8-C7-N2	2.45	120.79	116.11
6	E	703	NGS	O1-C1-O5	2.45	116.96	110.25
6	E	701	SIA	O6-C6-C5	2.52	112.61	108.48
5	C	411	NAG	C1-O5-C5	2.53	115.46	112.25
4	C	431	NAG	C4-C3-C2	2.60	115.27	111.23
6	A	701	SIA	O6-C6-C5	2.63	112.80	108.48
9	D	202	FUC	C1-C2-C3	2.66	112.68	109.54
6	E	703	NGS	CH3-C-N	2.74	121.35	116.11
4	E	431	NAG	C1-O5-C5	2.80	115.80	112.25
5	C	412	NAG	C3-C2-N2	2.82	117.30	110.56
6	C	703	NGS	C4-C3-C2	2.87	114.41	110.43
5	E	601	NAG	C3-C4-C5	2.88	115.22	110.20
6	E	703	NGS	C1-O5-C5	2.94	118.90	113.47
5	C	422	NAG	C3-C4-C5	2.99	115.41	110.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	602	NAG	C8-C7-N2	3.07	121.97	116.11
5	C	421	NAG	O4-C4-C5	3.21	117.76	109.24
7	C	443	BMA	C1-O5-C5	3.25	116.37	112.25
8	C	454	MAN	C1-O5-C5	3.26	116.38	112.25
8	C	453	BMA	C2-C3-C4	3.31	116.67	111.04
5	A	441	NAG	C2-N2-C7	3.32	127.31	123.04
6	A	702	GAL	C1-C2-C3	3.33	113.47	109.54
4	E	432	NAG	C1-O5-C5	3.40	116.56	112.25
8	C	457	MAN	C1-O5-C5	3.41	116.58	112.25
5	A	441	NAG	C8-C7-N2	3.49	122.79	116.11
5	E	441	NAG	C8-C7-N2	3.51	122.83	116.11
5	E	441	NAG	C2-N2-C7	3.54	127.59	123.04
5	E	602	NAG	C3-C4-C5	3.60	116.48	110.20
6	A	703	NGS	C4-C3-C2	3.69	115.55	110.43
5	C	412	NAG	C2-N2-C7	3.72	127.82	123.04
5	E	602	NAG	C4-C3-C2	3.84	117.20	111.23
9	D	202	FUC	O5-C5-C4	4.04	116.54	109.53
5	E	601	NAG	C3-C2-N2	4.05	120.26	110.56
4	C	437	MAN	C1-O5-C5	4.17	117.54	112.25
4	E	437	MAN	C1-O5-C5	4.35	117.77	112.25
8	C	454	MAN	C1-C2-C3	4.56	114.93	109.54
5	E	601	NAG	C8-C7-N2	4.59	124.88	116.11
5	E	601	NAG	C1-O5-C5	4.83	118.38	112.25
5	E	602	NAG	C2-N2-C7	4.84	129.25	123.04
4	E	437	MAN	C1-C2-C3	4.85	115.28	109.54
5	C	422	NAG	C1-O5-C5	4.86	118.42	112.25
4	A	433	BMA	C1-C2-C3	4.86	115.30	109.54
5	C	421	NAG	C1-O5-C5	5.09	118.71	112.25
8	C	453	BMA	C1-C2-C3	5.23	115.73	109.54
9	D	202	FUC	O5-C1-C2	5.43	119.67	110.86
9	D	202	FUC	C1-O5-C5	6.10	121.80	112.38
9	D	201	NAG	C1-O5-C5	7.14	121.31	112.25
5	E	601	NAG	C2-N2-C7	7.18	132.26	123.04

All (7) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	E	601	NAG	C1
6	E	703	NGS	C1
9	D	202	FUC	C1
5	C	601	NAG	C1
5	C	422	NAG	C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
5	E	602	NAG	C1
8	C	450	FUC	C1

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	C	457	MAN	C1-C2-C3-C4-C5-O5

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	441	NAG	1	0
5	E	601	NAG	2	0
5	E	602	NAG	1	0
6	E	703	NGS	1	0

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	421	1	14,14,15	0.49	0	15,19,21	1.04	1 (6%)
3	NAG	A	601	1	14,14,15	0.55	0	15,19,21	0.90	0
3	NAG	B	201	2	14,14,15	0.46	0	15,19,21	1.06	1 (6%)
3	NAG	E	421	1	14,14,15	0.52	0	15,19,21	1.04	1 (6%)
3	NAG	F	201	2	14,14,15	0.71	1 (7%)	15,19,21	1.99	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	421	1	-	0/6/23/26	0/1/1/1
3	NAG	A	601	1	-	0/6/23/26	0/1/1/1
3	NAG	B	201	2	-	0/6/23/26	0/1/1/1
3	NAG	E	421	1	-	0/6/23/26	0/1/1/1
3	NAG	F	201	2	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	201	NAG	C1-C2	2.12	1.55	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	421	NAG	C1-O5-C5	2.38	115.27	112.25
3	E	421	NAG	C1-O5-C5	2.68	115.64	112.25
3	B	201	NAG	C1-O5-C5	3.10	116.18	112.25
3	F	201	NAG	C1-O5-C5	6.57	120.59	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	317/330 (96%)	-0.11	0 100 100	45, 60, 80, 103	0
1	C	330/330 (100%)	-0.05	1 (0%) 94 94	37, 61, 95, 116	0
1	E	321/330 (97%)	0.20	11 (3%) 49 41	53, 85, 111, 129	0
2	B	173/173 (100%)	-0.12	1 (0%) 90 89	43, 57, 77, 122	0
2	D	172/173 (99%)	-0.14	1 (0%) 90 89	40, 57, 73, 91	0
2	F	172/173 (99%)	-0.16	1 (0%) 90 89	42, 67, 87, 101	0
All	All	1485/1509 (98%)	-0.04	15 (1%) 84 82	37, 64, 102, 129	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	278	VAL	4.6
2	B	173	ILE	3.9
1	E	159	ASN	3.4
1	E	142	GLY	3.3
1	C	1	ASP	3.3
2	D	172	GLN	2.9
1	E	81	TYR	2.8
1	E	156	LYS	2.6
1	E	222	TRP	2.6
1	E	143	SER	2.5
1	E	47	SER	2.5
1	E	160	SER	2.3
1	E	186	SER	2.1
1	E	225	GLY	2.1
2	F	172	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
9	FUC	D	202	10/11	0.84	0.30	7.93	106,111,117,118	0
9	NAG	D	201	14/15	0.80	0.30	4.67	106,114,118,119	0
5	NAG	E	441	14/15	0.93	0.23	4.17	89,92,96,101	0
4	NAG	C	432	14/15	0.88	0.56	3.98	122,131,138,143	0
5	NAG	A	441	14/15	0.93	0.26	3.39	78,83,89,96	0
4	NAG	E	432	14/15	0.84	0.42	2.87	123,128,133,137	0
4	NAG	C	431	14/15	0.84	0.39	1.91	108,114,120,123	0
4	NAG	E	431	14/15	0.88	0.32	1.29	114,118,122,124	0
8	FUC	C	450	10/11	0.94	0.18	0.91	74,76,79,80	0
6	SIA	A	701	20/21	0.95	0.17	-0.12	56,61,67,69	0
6	SIA	C	701	20/21	0.95	0.17	-0.29	66,69,77,78	0
6	SIA	E	701	20/21	0.95	0.20	-0.34	95,100,105,107	0
8	BMA	C	453	11/12	0.71	0.40	-	99,109,115,118	0
5	NAG	C	411	14/15	0.78	0.44	-	111,116,123,129	0
4	BMA	C	433	11/12	0.70	0.54	-	149,157,164,167	0
4	MAN	E	437	11/12	0.67	0.52	-	139,145,153,155	0
5	NAG	E	411	14/15	0.68	0.58	-	126,130,138,139	0
5	NAG	C	602	14/15	0.74	0.34	-	92,100,106,111	0
4	MAN	A	437	11/12	0.80	0.51	-	135,140,151,155	0
4	MAN	C	437	11/12	0.73	0.55	-	156,169,178,181	0
5	NAG	C	601	14/15	0.83	0.19	-	76,83,88,94	0
6	NGS	A	703	19/19	0.83	0.27	-	93,108,116,121	0
7	NAG	C	441	14/15	0.97	0.15	-	59,63,69,73	0
8	NAG	C	452	14/15	0.86	0.20	-	76,81,89,94	0
5	NAG	E	601	14/15	0.82	0.28	-	104,114,120,130	0
6	GAL	A	702	11/12	0.94	0.17	-	73,78,84,85	0
4	BMA	E	433	11/12	0.72	0.33	-	140,142,148,152	0
8	MAN	C	454	11/12	0.81	0.45	-	100,107,114,118	0
5	NAG	C	422	14/15	0.86	0.32	-	113,120,125,130	0
7	NAG	C	442	14/15	0.91	0.21	-	79,86,98,110	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	NAG	A	442	14/15	0.77	0.44	-	106,113,118,120	0
5	NAG	E	602	14/15	0.80	0.35	-	126,137,141,144	0
5	NAG	C	412	14/15	0.73	0.55	-	131,138,144,145	0
8	MAN	C	457	11/12	0.78	0.48	-	112,117,130,133	0
4	NAG	A	431	14/15	0.90	0.23	-	84,88,96,99	0
5	NAG	C	421	14/15	0.85	0.27	-	85,93,99,107	0
6	NGS	C	703	19/19	0.78	0.23	-	109,125,133,137	0
5	NAG	E	442	14/15	0.85	0.29	-	104,110,115,115	0
6	GAL	C	702	11/12	0.91	0.15	-	85,93,99,101	0
4	BMA	A	433	11/12	0.76	0.39	-	125,132,136,142	0
5	NAG	E	412	14/15	0.62	0.67	-	144,151,154,156	0
6	NGS	E	703	19/19	0.71	0.39	-	124,133,137,140	0
6	GAL	E	702	11/12	0.95	0.24	-	109,113,117,119	0
7	BMA	C	443	11/12	0.71	0.28	-	120,126,131,133	0
8	NAG	C	451	14/15	0.92	0.14	-	52,63,71,71	0
4	NAG	A	432	14/15	0.91	0.34	-	99,107,115,120	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NAG	F	201	14/15	0.74	0.29	3.72	95,100,103,107	0
3	NAG	B	201	14/15	0.73	0.41	-	90,97,103,105	0
3	NAG	A	601	14/15	0.83	0.35	-	83,89,93,95	0
3	NAG	E	421	14/15	0.69	0.40	-	119,124,131,134	0
3	NAG	A	421	14/15	0.65	0.41	-	95,104,107,108	0

6.5 Other polymers [i](#)

There are no such residues in this entry.